

Absorptive Muffler

This example describes the pressure-wave propagation in a muffler for an internal combustion engine. The approach used here is generally applicable when analyzing the damping of propagating pressure waves as well as determining the transmission properties of a given system. The model uses the port boundary conditions to model the inlet and outlet of the muffler. The model shows how to analyze both inductive and resistive damping in pressure acoustics. The main output is the transmission loss for the frequency range 50 Hz-2800 Hz. It is represented both as a continuous curve and given in 1/3 octave bands.

See also the tutorial model Eigenmodes in a Muffler, which computes the propagating modes in the main chamber of the muffler.

Model Definition

The muffler—schematically shown in Figure 1—consists of a 24-liter resonator chamber with a section of the centered exhaust pipe included at each end. The model is first set up assuming that the chamber is empty. In a second step, it is lined with 15 mm of absorbing glass wool.




Figure 1: Geometry of the lined muffler; the liner is the outer layer in the main muffler volume. The exhaust fumes enter through the left pipe and exit through the right pipe.

DOMAIN EQUATIONS

This model solves the problem in the frequency domain using the Pressure Acoustics, Frequency Domain interface. The model equation is a slightly modified version of the Helmholtz equation

$$\nabla \cdot \left(-\frac{\nabla p}{\rho_c} \right) - \frac{\omega^2 p}{c_c^2 \rho_c} = 0$$

where p is the acoustic pressure, ρ is the density, c is the speed of sound, and ω is the angular frequency. The subscript c refers to that these material properties can be complex valued.

In the absorbing glass wool, modeled as a **Poroacoustics** domain, the damping enters the equation as a complex speed of sound, $c_c = \omega/k_c$, and a complex density, $\rho_c = k_c Z_c/\omega$, where k_c is the complex wave number and Z_c equals the complex impedance. This is an equivalent fluid model for the porous domain where the losses are modeled in a homogenized way.

For a highly porous material with a rigid skeleton, the well-known model of Delany and Bazley estimates these parameters as functions of frequency and flow resistivity. This class of poroacoustic models is named **Delany-Bazley-Miki** in the user interface. Using the original coefficients/constants of Delany and Bazley (Ref. 1), the expressions are

$$\begin{split} & k_{\rm c} = k_0 \cdot \left(1 + 0.098 \cdot \left(\frac{\rho_{\rm f} f}{R_{\rm f}}\right)^{-0.7} - i \cdot 0.189 \cdot \left(\frac{\rho_{\rm f} f}{R_{\rm f}}\right)^{-0.595}\right) \\ & Z_{\rm c} = Z_0 \cdot \left(1 + 0.057 \cdot \left(\frac{\rho_{\rm f} f}{R_{\rm f}}\right)^{0.734} - i \cdot 0.087 \cdot \left(\frac{\rho_{\rm f} f}{R_{\rm f}}\right)^{-0.732}\right) \end{split}$$

where $R_{\rm f}$ is the flow resistivity, and where $k_0=\omega/c$ and $Z_0=\rho_{\rm f}c$ are the free-space wave number and characteristic impedance of air, respectively. Several different coefficients/constants for the empirical fitting model can be selected in the **Poroacoustics** feature, each representing different porous or fibrous materials. The **Delany-Bazley-Miki** model is the default selected in the **Poroacoustics** domain feature. Several porous models can be selected here depending on the situation at hand.

You can find flow resistivities in tables (see, for example, Ref. 3) or by measuring it. For glass-wool-like materials, Bies and Hansen (Ref. 2) give an empirical expression

$$R_{\rm f} = \frac{3.18 \cdot 10^{-9} \cdot \rho_{\rm ap}^{1.53}}{d_{\rm av}^2}$$

where ho_{ap} is the apparent density of the material and d_{av} is the mean fiber diameter. This model uses a rather lightweight glass wool with ρ_{ap} = 12 kg/m 3 and d_{av} = 10 μm .

Note: The Delany-Bazley constants are valid for values of $X = \rho_f f/R_f$ up to $X \approx 1$. The frequency limit of 2800 Hz gives a value of X = 2.36, meaning this is at the upper limit of validity. Other variants of the Delany-Bazley-Miki model are built into the Acoustics Module; these have different validity regions or are used for other fibrous materials. For example, the Miki constants can be selected, they extend the region of applicability of the model in the low X limit, as compared to the Delany-Bazley constants.

BOUNDARY CONDITIONS

- At the solid boundaries, which are the outer walls of the resonator chamber and the pipes, the model uses sound hard (wall) boundary conditions. The condition imposes that the normal velocity at the boundary is zero.
- The model uses port boundary conditions to model the inlet and outlet of the muffler. In waveguides, the port conditions are superior to radiation condition as they can capture complex wave fields that involve several propagating modes. The port uses a plane-wave (0,0) mode to excite the system. Since the analysis is carried out above the cutoff frequency of the first non-plane mode (above 2514 Hz), several port conditions are required at the inlet and outlet to capture these modes. Note that when including an azimuthal mode in a circular port, it is necessary to add both possible directions as different Port conditions (the modes are orthogonal). Note also that each port condition generates a postprocessing variable that defined the cutoff frequency of its mode, for example, for Port 2 the variable is acpr.port2.fc.

Results and Discussion

The pressure distribution in the absorptive muffler without the lining material is shown in Figure 2 for the frequency f = 2800 Hz. From the figure, it is seen that at this frequency not only longitudinal standing waves exist but also transverse modes are present.






Figure 2: Pressure represented as an iso-barometric surface plot in the muffler.

An important parameter for a muffler is the transmission loss or attenuation. It is defined as the ratio between the incoming and outgoing acoustic energy. The attenuation or transmission loss L (in dB) of the acoustic energy is defined by

$$L = 10 \log \left(\frac{P_{\rm in}}{P_{\rm out}} \right)$$

Here P_{in} and P_{out} denote the incoming power at the inlet and the outgoing power at the outlet, respectively. These values are readily derived from the port boundary variables as acpr.port1.P_in, and the sum of acpr.port4.P_out, acpr.port5.P_out, and acpr.port6.P_out (the three ports at the outlet). These variables can be directly used in postprocessing.




Figure 3: Comparison of the transmission loss as function of frequency for the empty muffler and the muffler with absorptive lining. (top) The transmission loss depicted as a continuous curve. The first four dips are due to longitudinal resonances. In the muffler with absorbing lining the dips are still present, but the general trend is that the higher the frequency, the better the damping. (bottom) The same data but depicted in 1/3 octave bands.

Figure 3 (top and bottom) shows the result of a parametric frequency study. The two graphs represent the case of an empty muffler without any absorbing lining material (blue lines) and the case with a layer of glass wool lining on the chamber's walls (green lines). In the top figure, the transmission loss is depicted as a continuous curve (pure tone sweep) while it is depicted in 1/3 octave bands in the bottom figure. Both graphs are created using the Octave Band plot of the Acoustics Module.

The graph for the undamped muffler shows that damping works rather well for most low frequencies. At frequencies higher than approximately 1000 Hz, the behavior is more complicated and there is generally less damping. Above this frequency a whole range of modes that are combinations of propagating mode and longitudinal modes become available, making the damping properties increasingly unpredictable. For an analysis of these modes, see the related model Eigenmodes in a Muffler. The glass-wool lining improves attenuation at the resonance frequencies as well as at higher frequencies.




Figure 4: Intensity streamlines at 2800 Hz without the liner.

The flow of energy in the muffler without the liner is shown in Figure 4 at 2800 Hz. The plot represents the intensity field depicted as streamlines. The intensity is per definition the time average of the intensity and thus represents the average energy flow in the system.

Here from the inlet to the outlet. Change between solutions and frequencies to study and visualize the sound-absorbing properties of the muffler.




Figure 5: Normalized power balance for the muffler with absorptive lining.

The normalized power balance for the muffler with absorptive lining, shown in Figure 5, shows how plane modes are the main mechanisms for the transmitted and reflected power. Note how the azimuthal modes are only present above 2514 Hz, which is the cutoff frequency for this mode.

References

- 1. M.A. Delany and E.N. Bazley, "Acoustic Properties of Fibrous Absorbent Materials," Appl. Acoust., vol. 3, pp. 105-116, 1970.
- 2. D.A. Bies and C.H. Hansen, "Flow Resistance Information for Acoustical Design," Appl. Acoust., vol. 13, issue 5, Sept./Oct., pp. 357-391, 1980.
- 3. T.J. Cox and P.D'Antonio, Acoustic Absorbers and Diffusers, 2nd ed., Taylor and Francis, 2009.

Application Library path: Acoustics Module/Automotive/absorptive muffler

Modeling Instructions

This section contains the modeling instructions for the Absorptive Muffler model. They are followed by the Geometry Sequence Instructions section.

The instructions take you through two versions of the model, first one with a completely hollow chamber with rigid walls, then one where the chamber is lined with glass wool.

From the File menu, choose New.

NEW

In the New window, click Model Wizard.

MODEL WIZARD

- I In the Model Wizard window, click **3D**.
- 2 In the Select Physics tree, select Acoustics>Pressure Acoustics, Frequency Domain (acpr).
- 3 Click Add.
- 4 Click 🔁 Study.
- 5 In the Select Study tree, select General Studies>Frequency Domain.
- 6 Click M Done.

GLOBAL DEFINITIONS

Parameters 1

- I In the Model Builder window, under Global Definitions click Parameters I.
- 2 In the Settings window for Parameters, locate the Parameters section.
- 3 Click Load from File.
- 4 Browse to the model's Application Libraries folder and double-click the file absorptive muffler parameters.txt.

The parameters define the physical values of the system.

GEOMETRY I

I In the Model Builder window, under Component I (compl) click Geometry I.

- 2 In the Settings window for Geometry, locate the Units section.
- 3 From the Length unit list, choose mm.

To save some time import the geometry sequence from a file. The instructions for setting up the geometry can be found in the Geometry Sequence Instructions section at the bottom of this document.

- 4 In the Geometry toolbar, click Insert Sequence and choose Insert Sequence.
- **5** Browse to the model's Application Libraries folder and double-click the file absorptive_muffler_geom_sequence.mph.
- 6 In the Geometry toolbar, click **Build All**.

Having imported the geometry, it can be easily modified as it is parameterized. Simply change the value of a dimension in the parameters list: this will update the geometry automatically. The imported geometry parameters are automatically added to the Parameters I node.

The geometry should look like the one depicted in Figure 1.

DEFINITIONS

Create selections for the inlet and outlet of the muffler.

Inlet

- I In the **Definitions** toolbar, click **\(\frac{1}{2} \) Explicit**.
- 2 In the Settings window for Explicit, type Inlet in the Label text field.
- 3 Locate the Input Entities section. From the Geometric entity level list, choose Boundary.
- 4 Select Boundary 1 only.

Outlet

- I In the **Definitions** toolbar, click **\(\bigcap_{\text{a}} \) Explicit**.
- 2 In the Settings window for Explicit, type Outlet in the Label text field.
- 3 Locate the Input Entities section. From the Geometric entity level list, choose Boundary.
- 4 Select Boundary 28 only.

ADD MATERIAL

- I In the Home toolbar, click Add Material to open the Add Material window.
- 2 Go to the Add Material window.
- 3 In the tree, select Built-in>Air.
- 4 Click Add to Component in the window toolbar.

5 In the Home toolbar, click Add Material to close the Add Material window.

By default, the first material you add applies on all domains so you do not need to alter the geometric scope settings.

In the second version of this model, you will use a lining material in Domain 2. Add such a material with an empty selection.

MATERIALS

Absorptive Liner

- I In the Model Builder window, under Component I (compl) right-click Materials and choose Blank Material.
- 2 In the Settings window for Material, type Absorptive Liner in the Label text field.

PRESSURE ACOUSTICS, FREQUENCY DOMAIN (ACPR)

Pressure Acoustics 1

- I In the Model Builder window, under Component I (compl)>Pressure Acoustics,
 Frequency Domain (acpr) click Pressure Acoustics I.
- 2 In the Settings window for Pressure Acoustics, locate the Model Input section.
- 3 In the T text field, type T0.
- **4** In the p_A text field, type p0.

Use the **Port** boundary condition to define the inlet and outlet. The port condition is superior to the classical radiation condition in waveguide configurations. This is particularly the case when non-plane modes start to propagate. This happens above the first cutoff frequency. For the present model, the cutoff frequency for the first non-plane mode (m = 1 and n = 0) is at 2514 Hz so this mode should be included. Note that when including an azimuthal mode in a circular port, it is necessary to add both possible directions as different **Port** conditions (the modes are orthogonal). Note that the variable acpr.port2.fc gives the cutoff frequency of the mode (here for the mode defined on the **Port 2** condition).


Port I

- I In the Physics toolbar, click Boundaries and choose Port.
- 2 In the Settings window for Port, locate the Boundary Selection section.
- 3 From the Selection list, choose Inlet.
- 4 Locate the Port Properties section. From the Type of port list, choose Circular.
- **5** Locate the **Incident Mode Settings** section. In the A^{in} text field, type p_in.

Circular Port Reference Axis I

- I In the Physics toolbar, click 🕞 Attributes and choose Circular Port Reference Axis.
- 2 In the Settings window for Circular Port Reference Axis, locate the Point Selection section.
- 3 Click Clear Selection.
- 4 Select Points 1 and 4 only.

Select two points that define a reference axis for the azimuthal angle. The setting is in general necessary when higher order azimuthal modes are used and/or necessary.



Port 2

- I In the Model Builder window, under Component I (compl)>Pressure Acoustics, Frequency Domain (acpr) right-click Port I and choose Duplicate.
- 2 In the Settings window for Port, locate the Port Mode Settings section.
- 3 In the m text field, type 1.
- 4 Locate the Incident Mode Settings section. From the Incident wave excitation at this port list, choose Off.

Port 3

Right-click Port 2 and choose Duplicate.

Circular Port Reference Axis I

- I In the Model Builder window, expand the Port 3 node, then click Circular Port Reference Axis I.
- 2 In the Settings window for Circular Port Reference Axis, locate the Point Selection section.
- 3 Click Clear Selection.
- 4 Select Points 2 and 3 only.

Port 1, Port 2, Port 3

- I In the Model Builder window, under Component I (compl)>Pressure Acoustics, Frequency Domain (acpr), Ctrl-click to select Port 1, Port 2, and Port 3.
- 2 Right-click and choose **Group**.

Inlet Ports

In the Settings window for Group, type Inlet Ports in the Label text field.

Port 4

- I In the Physics toolbar, click **Boundaries** and choose Port.
- 2 In the Settings window for Port, locate the Boundary Selection section.
- **3** From the **Selection** list, choose **Outlet**.
- 4 Locate the Port Properties section. From the Type of port list, choose Circular.

Circular Port Reference Axis I

- I In the Physics toolbar, click 🖳 Attributes and choose Circular Port Reference Axis.
- 2 In the Settings window for Circular Port Reference Axis, locate the Point Selection section.
- 3 Click Clear Selection. Select two points at the outlet in the same way.
- 4 Select Points 37 and 40 only.

Port 5

- I In the Model Builder window, under Component I (compl)>Pressure Acoustics, Frequency Domain (acpr) right-click Port 4 and choose Duplicate.
- 2 In the Settings window for Port, locate the Port Mode Settings section.
- 3 In the m text field, type 1.

Port 6

Right-click Port 5 and choose Duplicate.

Circular Port Reference Axis 1

- I In the Model Builder window, expand the Port 6 node, then click Circular Port Reference Axis I.
- 2 In the Settings window for Circular Port Reference Axis, locate the Point Selection section.
- 3 Click Clear Selection.
- 4 Select Points 38 and 39 only.

Port 4, Port 5, Port 6

- I In the Model Builder window, under Component I (compl)>Pressure Acoustics, Frequency Domain (acpr), Ctrl-click to select Port 4, Port 5, and Port 6.
- 2 Right-click and choose **Group**.

Outlet Ports

I In the Settings window for Group, type Outlet Ports in the Label text field. Now, add a poroacoustics model for the absorptive liner domain. You will deactivate this domain when configuring the first study step.

Poroacoustics 1

- I In the Physics toolbar, click **Domains** and choose Poroacoustics.
- 2 Select Domain 2 only.
- 3 In the Settings window for Poroacoustics, locate the Model Input section.
- **4** In the T text field, type T0.
- 5 Locate the Porous Matrix Properties section. From the Porous elastic material list, choose Absorptive Liner (mat2).

The material data for the flow resistivity will now be picked up from the Absorptive Liner material. Enter the data in the material.

MATERIALS

Absorptive Liner (mat2)


- I In the Model Builder window, under Component I (compl)>Materials click Absorptive Liner (mat2).
- 2 In the Settings window for Material, locate the Material Contents section.
- **3** In the table, enter the following settings:

Property	Variable	Value	Unit	Property group
Flow resistivity	Rf	R_f	Pa·s/m²	Poroacoustics model

MESH I

Proceed and generate the mesh using the **Physics-controlled mesh** functionality. In general, 5 to 6 second-order elements per wavelength are needed to resolve the waves. For more details, see Meshing (Resolving the Waves) in the Acoustics Module User's Guide. In this model, we use the default **Automatic** option, which gives 5 elements per wavelength.

- I In the Model Builder window, under Component I (compl) click Mesh I.
- 2 In the Settings window for Mesh, locate the Pressure Acoustics, Frequency Domain (acpr) section.
- 3 From the Maximum mesh element size control parameter list, choose Frequency.
- **4** In the f_{max} text field, type fmax.
- 5 Click Build All.



STUDY I - NO LINER

- I In the Model Builder window, click Study I.
- 2 In the Settings window for Study, type Study 1 No Liner in the Label text field.

Step 1: Frequency Domain


- I In the Model Builder window, under Study I No Liner click Step I: Frequency Domain.
- 2 In the Settings window for Frequency Domain, locate the Study Settings section.

- 3 In the Frequencies text field, type range (50, 25, fmax).
- 4 Locate the Physics and Variables Selection section. Select the Modify model configuration for study step check box.
- 5 In the tree, select Component I (compl)>Pressure Acoustics, Frequency Domain (acpr)> Poroacoustics 1.
- 6 Right-click and choose Disable.
- 7 In the Home toolbar, click **Compute**.

RESULTS


Acoustic Pressure (acpr)

The first one of the default plots shows the pressure distribution on the walls of the muffler at the highest frequency, 2800 Hz.



The two other default plot groups show the sound pressure level on the wall surface and the pressure inside the muffler as isosurfaces.

Acoustic Pressure, Isosurfaces (acpr)



Proceed to plot the transmission loss of the muffler system. Use the Octave Band plot, which makes it possible to plot any transfer function both as band plots and as continuous curves (sweeps).

Transmission Loss, Continuous

- I In the Home toolbar, click . Add Plot Group and choose ID Plot Group.
- 2 In the Settings window for ID Plot Group, type Transmission Loss, Continuous in the Label text field.
- 3 Click to expand the Title section. From the Title type list, choose Label.
- 4 Locate the Plot Settings section.
- 5 Select the y-axis label check box. In the associated text field, type Power, incoming wave (dB, rel. outgoing wave).
- 6 Locate the Legend section. From the Position list, choose Upper left.

Octave Band I

- I In the Transmission Loss, Continuous toolbar, click \sim More Plots and choose Octave Band.
- 2 In the Settings window for Octave Band, locate the Selection section.

- 3 From the Geometric entity level list, choose Global.
 - Start by locating and inspecting the postprocessing variables available for the port boundary conditions. Add the variable for the power of the incident mode at Port 1. Then modify the expression manually to get the ratio to the power of the outgoing wave at Port 2. This will give the transmission loss.
- 4 Click Replace Expression in the upper-right corner of the y-Axis Data section. From the menu, choose Component I (compl)>Pressure Acoustics, Frequency Domain>Ports> Port I>acpr.portI.P_in - Power of incident mode - W.
- 5 Locate the y-Axis Data section. In the Expression text field, type acpr.port1.P in/ (acpr.port4.P_out+acpr.port5.P_out+acpr.port6.P_out).
- 6 From the Expression type list, choose Transfer function.
- 7 Locate the Plot section. From the Quantity list, choose Continuous power spectral density.
- 8 Click to expand the **Legends** section. Select the **Show legends** check box.
- 9 From the Legends list, choose Manual.
- **10** In the table, enter the following settings:

Legends No liner

II In the Transmission Loss, Continuous toolbar, click **Plot**.

The plot should be a reproduction of the blue curve in Figure 3.

Proceed to solve the model including a layer of absorptive glass wool on the muffler line. Continue working from where you left off with the model developed thus far and add a second study to keep your existing results intact.

ADD STUDY

- I In the Home toolbar, click Add Study to open the Add Study window.
- 2 Go to the Add Study window.
- 3 Find the Studies subsection. In the Select Study tree, select General Studies> Frequency Domain.
- 4 Click Add Study in the window toolbar.
- 5 In the Home toolbar, click Add Study to close the Add Study window.

STUDY 2 - ABSORPTIVE LINER

I In the Model Builder window, click Study 2.

- 2 In the Settings window for Study, type Study 2 Absorptive Liner in the Label text
- 3 Locate the Study Settings section. Clear the Generate default plots check box.

Step 1: Frequency Domain

- I In the Model Builder window, under Study 2 Absorptive Liner click Step 1: Frequency Domain.
- 2 In the Settings window for Frequency Domain, locate the Study Settings section.
- 3 In the Frequencies text field, type range (50,25,fmax).
- 4 In the Home toolbar, click **Compute**.


RESULTS

Acoustic Pressure, Isosurfaces (acpr)

You chose not to have new default plots generated. Once the solution process is finished you can use the existing plot groups and just switch the dataset to see how the damping material affects the solution.

- I In the Model Builder window, under Results click Acoustic Pressure, Isosurfaces (acpr).
- 2 In the Settings window for 3D Plot Group, locate the Data section.
- 3 From the Dataset list, choose Study 2 Absorptive Liner/Solution 2 (sol2).

4 In the Acoustic Pressure, Isosurfaces (acpr) toolbar, click **Plot**.



At 2800 Hz, the pressure in the chamber is much lower than before.

Proceed to study how the transmission loss has changed with the addition of the lining. First do a bit of formatting and then duplicate the first plot and select the new dataset.

Octave Band 2

- I In the Model Builder window, under Results>Transmission Loss, Continuous right-click Octave Band I and choose Duplicate.
- 2 In the Settings window for Octave Band, locate the Data section.
- 3 From the Dataset list, choose Study 2 Absorptive Liner/Solution 2 (sol2).
- **4** Locate the **Legends** section. In the table, enter the following settings:

Legends Absorptive liner

5 In the Transmission Loss, Continuous toolbar, click Plot. The plot should look like that in Figure 3 top.

Duplicate the Transmission Loss plot and change the format to 1/3 octave bands.

Transmission Loss, 1/3 Octave Bands

- I In the Model Builder window, right-click Transmission Loss, Continuous and choose Duplicate.
- 2 In the Settings window for ID Plot Group, type Transmission Loss, 1/3 Octave Bands in the Label text field.

Octave Band I

- I In the Model Builder window, expand the Transmission Loss, 1/3 Octave Bands node, then click Octave Band I.
- 2 In the Settings window for Octave Band, locate the Plot section.
- 3 From the Quantity list, choose Band average power spectral density.
- 4 From the Band type list, choose 1/3 octave.

Octave Band 2

- I In the Model Builder window, click Octave Band 2.
- 2 In the Settings window for Octave Band, locate the Plot section.
- 3 From the Quantity list, choose Band average power spectral density.
- 4 From the Band type list, choose 1/3 octave.
- 5 Click to expand the Coloring and Style section. From the Type list, choose Outline.
- **6** From the **Width** list, choose **2**.
- 7 In the Transmission Loss, 1/3 Octave Bands toolbar, click Plot.

The plot should look like that in Figure 3 bottom.

Now, create a plot that represents the energy flux through the muffler system. Use streamlines that follow the intensity vector. You can change between solutions and frequencies to study and visualize the sound-absorbing properties of the muffler.

Intensity

- I In the Home toolbar, click Add Plot Group and choose 3D Plot Group.
- 2 In the Settings window for 3D Plot Group, type Intensity in the Label text field.

Streamline 1

- I Right-click Intensity and choose Streamline.
- 2 In the Settings window for Streamline, click Replace Expression in the upper-right corner of the Expression section. From the menu, choose Component I (compl)> Pressure Acoustics, Frequency Domain>Intensity>acpr.ly,acpr.ly,acpr.lz - Intensity.
- **3** Select Boundary 1 only.

- 4 Locate the Coloring and Style section. Find the Line style subsection. From the Type list, choose Tube.
- 5 In the Tube radius expression text field, type 2.

Color Expression 1

- I Right-click Streamline I and choose Color Expression.
- 2 In the Settings window for Color Expression, click Replace Expression in the upper-right corner of the Expression section. From the menu, choose Component I (compl)> Pressure Acoustics, Frequency Domain>Intensity>acpr.I_mag - Intensity magnitude - W/ m².
- 3 In the Intensity toolbar, click Plot.

This should reproduce Figure 4.

Normalized Power Balance

- I In the Home toolbar, click **Add Plot Group** and choose ID Plot Group.
- 2 In the Settings window for ID Plot Group, type Normalized Power Balance in the Label text field.
- 3 Locate the Data section. From the Dataset list, choose Study 2 Absorptive Liner/ Solution 2 (sol2).
- 4 Locate the Title section. From the Title type list, choose Label.
- 5 Locate the Legend section. From the Layout list, choose Outside graph axis area.
- **6** From the **Position** list, choose **Bottom**.
- 7 In the Number of rows text field, type 4.
- 8 Click the y-Axis Log Scale button in the Graphics toolbar.
- 9 Locate the Axis section. Select the Manual axis limits check box.
- 10 In the x minimum text field, type 10.
- II In the x maximum text field, type 2850.
- 12 In the y minimum text field, type 9e-5.
- **I3** In the **y maximum** text field, type 1.1.

Global I

- I Right-click Normalized Power Balance and choose Global.
- 2 In the Settings window for Global, locate the y-Axis Data section.

3 In the table, enter the following settings:

Expression	Unit	Description
acpr.port1.P_out/ acpr.port1.P_in	1	Reflected Power - Plane mode
<pre>acpr.port3.P_out/ acpr.port1.P_in</pre>	1	Reflected Power - Second azimuthal mode
acpr.port4.P_out/ acpr.port1.P_in	1	Transmitted Power - Plane mode
acpr.port6.P_out/ acpr.port1.P_in	1	Transmitted Power - Second azimuthal mode

- 4 Click to expand the Legends section. Find the Prefix and suffix subsection. In the Suffix text field, type - Absorptive Liner.
- 5 In the Normalized Power Balance toolbar, click **Plot**. This should reproduce Figure 5.

Geometry Sequence Instructions

From the File menu, choose New.

GLOBAL DEFINITIONS

Parameters 1

- I In the Model Builder window, under Global Definitions click Parameters I.
- 2 In the Settings window for Parameters, locate the Parameters section.
- 3 Click Load from File.
- **4** Browse to the model's Application Libraries folder and double-click the file absorptive_muffler_geom_sequence_parameters.txt.

ADD COMPONENT

In the **Home** toolbar, click **Add Component** and choose **3D**.

GEOMETRY I

- I In the Settings window for Geometry, locate the Units section.
- 2 From the Length unit list, choose mm.

Work Plane I (wpl)


- I In the Geometry toolbar, click Work Plane.
- 2 In the Settings window for Work Plane, locate the Plane Definition section.
- 3 From the Plane list, choose yz-plane.
- 4 Click Show Work Plane.

Work Plane I (wp I)>Rectangle I (r I)

- I In the Work Plane toolbar, click Rectangle.
- 2 In the Settings window for Rectangle, locate the Size and Shape section.
- 3 In the Width text field, type W.
- 4 In the **Height** text field, type H.
- 5 Locate the Position section. From the Base list, choose Center.

Work Plane I (wpl)>Fillet I (fill)

- I In the Work Plane toolbar, click
- 2 Click the Zoom Extents button in the Graphics toolbar.
- 3 On the object r1, select Points 1–4 only.




- 4 In the Settings window for Fillet, locate the Radius section.
- 5 In the Radius text field, type H/2.

Work Plane I (wp I)>Rectangle 2 (r2)

- I In the Work Plane toolbar, click Rectangle.
- 2 In the Settings window for Rectangle, locate the Size and Shape section.
- 3 In the Width text field, type W-2*D.
- 4 In the Height text field, type H-2*D.
- **5** Locate the **Position** section. From the **Base** list, choose **Center**.

Work Plane I (wp I)>Fillet 2 (fil2)

- I In the Work Plane toolbar, click Fillet.
- 2 On the object r2, select Points 1-4 only.



- 3 In the Settings window for Fillet, locate the Radius section.
- 4 In the Radius text field, type (H-2*D)/2.
- 5 In the Work Plane toolbar, click **Build All**.

Work Plane I (wpl)

- I In the Model Builder window, under Component I (compl)>Geometry I click Work Plane I (wpl).
- 2 In the Work Plane toolbar, click Close.

Extrude I (extI)

I In the Geometry toolbar, click **Extrude**.

- 2 In the Settings window for Extrude, locate the Distances section.
- **3** In the table, enter the following settings:

Distances (mm)

Cylinder I (cyll)

- I In the Geometry toolbar, click (Cylinder.
- 2 In the Settings window for Cylinder, locate the Size and Shape section.
- 3 In the Radius text field, type R io.
- 4 In the Height text field, type L_io.
- **5** Locate the **Position** section. In the **x** text field, type -L_io.
- 6 In the y text field, type d center.
- 7 Locate the Axis section. From the Axis type list, choose Cartesian.
- 8 In the x text field, type 1.
- 9 In the z text field, type 0.

Cylinder 2 (cyl2)

- I In the Geometry toolbar, click (Cylinder.
- 2 In the Settings window for Cylinder, locate the Size and Shape section.
- 3 In the Radius text field, type R_io.
- 4 In the Height text field, type L io.
- **5** Locate the **Position** section. In the **x** text field, type L.
- 6 In the y text field, type -d_center.
- 7 Locate the Axis section. From the Axis type list, choose Cartesian.
- 8 In the x text field, type 1.
- **9** In the **z** text field, type 0.
- 10 Click Build All Objects.

II Click the \frown Zoom Extents button in the Graphics toolbar.

