



Loudspeaker Driver — Transient Analysis

Introduction

This tutorial presents a full transient analysis of a loudspeaker driver and is an extension of the frequency domain analysis carried out in the [Loudspeaker Driver — Frequency-Domain Analysis](#) model. The transient analysis allows for nonlinear characterization of the driver, for example, to determine the total harmonic distortion (THD) or the intermodulation distortion (IMD) of the acoustic signals produced by the system. Both of these quantities are important parts of the distortion measurements of loudspeakers, and this sort of analysis cannot be done in frequency domain simulations which are intrinsically linear. The step-by-step instructions will show you how to set up the transient analysis of the coupled electromagnetic, structural, and acoustic systems of the loudspeaker driver.

The model is set up with the Magnetic Fields interface from the AC/DC Module and the Acoustic-Structure Interaction, Transient multiphysics interface from the Acoustics Module. The Lorentz Coupling multiphysics feature is used for handling the electromagnetic forces and induced currents over the voice coil. The whole analysis is divided into two parts: a transient analysis of the loudspeaker subjected to a harmonic driving voltage and a frequency spectrum analysis of the acoustic pressure at the listening point. The first part is carried out using two study steps. First a stationary step solves only the electromagnetic part of the problem to evaluate the field of the permanent magnet, with the driver in stand-still. Then the full time dependent study step takes care of all the relevant multiphysics interactions of the moving speaker. The frequency spectrum analysis of the output signal is performed using the combination of the Time Dependent and the Time to Frequency FFT study steps solving an auxiliary algebraic 0D equation which is set up with the Global ODEs and DAEs interface.

Note: This model requires both the Acoustics Module and the AC/DC Module.

Model Definition

The loudspeaker is a baffled driver similar to that studied in the [Loudspeaker Driver — Frequency-Domain Analysis](#) model. [Figure 1](#) shows its geometry and functional parts. The field from the *magnet* is supported and focused by the iron *pole piece* and *top plate* to the thin gap where the *voice coil* is wound around a *former* extending from the apex of the *cone*. A driving AC voltage applied to the voice coil causes it to vibrate, and the cone to create sound.

The *dust cap* protects the magnetic motor. In this design, it is made of the same stiff and light composite material as the cone and also contributes to the sound. A centered hole in the pole piece counteracts pressure buildup beneath the dust cap. The *suspension*, consisting of the *surround*, made of a light foam material, and the *spider*, a flexible cloth, keeps the cone in place and provide damping and spring forces.

The outer perimeters of the magnet and suspension are normally attached to a *basket*, a hollow supporting metal structure. The basket is not included in this model explicitly, but the magnet assembly and outer rims of the spider and surround are considered to be fixed. The absence of the basket means that the considered geometry is rotationally symmetric and can be modeled in the rz -plane.




Figure 1: Geometry of the modeled loudspeaker driver.

INPUT SIGNALS FOR A DISTORTION ANALYSIS

Performing the transient analysis of the loudspeaker is possible for any time-dependent voltage signal $V(t)$ applied to the voice coil. The choice of a specific type of input signal depends on the characteristic under investigation. The step-by-step instruction below concerns the total harmonic distortion or THD analysis of the loudspeaker. The input is in this case a harmonic voltage signal

$$V(t) = V_0 \sin(2\pi f_0 t). \quad (1)$$

The input signal frequency and the amplitude are chosen as $f_0 = 70$ Hz and $V_0 = 10$ V, respectively.

In the case of an intermodulation distortion or IMD analysis, the input signal is composed of two (or more) harmonic signals with different frequencies, for example,

$$V(t) = V_1 \sin(2\pi f_1 t) + V_2 \sin(2\pi f_2 t).$$

An example of an IMD analysis of the same loudspeaker can be found in the COMSOL Multiphysics Application Gallery on <https://www.comsol.com/model/47151>.

MULTIPHYSICS SETUP

The relation between the driving voltage and the electromagnetic force on the voice coil as well as the so-called back electromotive force (EMF) are easily set up in COMSOL using built-in functionality. More details are given in the section [Electromagnetic Interactions](#). The force and the EMF generated by the displacement is fully coupled through an acoustic-structure interaction analysis to compute the sound generation.

The structural equation is solved in the moving parts of the driver and the pressure acoustics equation in the surrounding air. The pressure acoustics equation is automatically excited by the structural vibrations, and feeds back the pressure load onto the structure, using the built in Acoustic-Structure Boundary Multiphysics coupling.

The motion of the voice coil and the loudspeaker cone contributes to nonlinear behavior of the system as the topology changes. This effect is taken into account by using a Moving Mesh for the deforming parts of the driver.

The air domains and the baffle should ideally extend to infinity. To avoid unphysical reflections where you truncate the geometry, a perfectly matched layer (PML) is used, as seen in [Figure 2](#). For more information about the PMLs for transient pressure acoustics applications, see the section *Modeling with the Pressure Acoustics Branch (FEM-Based Interfaces)* in the *Acoustics Module User's Guide*.

Real life measurements of nonlinear distortions are performed in the near field of the loudspeaker. Therefore, the PML can be placed close to the driver. Here, the distance from the coordinate system origin to the PML is 0.12 m.




Figure 2: Overview of the model geometry.

ELECTROMAGNETIC INTERACTIONS

This theory section shortly describes the electromagnetic analysis of the current in the voice coil and the driving force that this current gives rise to.

The Lorentz force on a wire of length L and with the current \mathbf{I} in an externally generated magnetic flux density \mathbf{B} perpendicular to the wire is given by $\mathbf{F} = L\mathbf{I} \times \mathbf{B}$. The voice coil consists of a single copper wire making $N_0 = 100$ turns. The coil is homogenized so that

$$N_0 I = \int_A \mathbf{J}_\phi dA$$

where \mathbf{J}_ϕ is the azimuthally directed current density through a cross-section of the coil, and the integral is taken over its area in the rz -plane. The total driving force on the coil hence becomes

$$\mathbf{F}_e = - \int_V \mathbf{J}_\phi B_r dV \quad (2)$$

with B_r being the r -component of the magnetic flux density, and the integral evaluated over the volume occupied by the coil domain. If you write Equation 2 in terms of the coil current I rather than the cross-sectional current density taking the axial symmetry of the geometry into account, you get

$$F_e = -\frac{2\pi IN_0}{A} \int r B_r dA = I \cdot \text{Bl} \quad (3)$$

where it is assumed that $J_\phi = IN_0/A$ and is constant over the coil cross-section of area A . The factor Bl in Equation 3 is known in the loudspeaker community as the force factor:

$$\text{Bl} = -\frac{2\pi N_0}{A} \int r B_r dA$$

Note that if $A \rightarrow 0$, the integral becomes equal to a magnetic flux density times the length of the coil; hence the name.

The Lorentz force is applied to the voice coil domain as a Body Load with the input set to Lorentz force contribution (mf).

In the [Loudspeaker Driver — Frequency-Domain Analysis](#) model, it was also necessary to add the Velocity (Lorentz Term) feature to the Magnetic Fields interface. The feature accounts for the *back EMF* voltage (the voltage induced in the coil due to its motion through the permanent magnetic field in the gap) contribution. This coupling is automatic in the time domain because of the actual movement of the voice-coil using the Moving Mesh feature. In the frequency domain the displacement is linearized and it is necessary to prescribe the back coupling with the Velocity (Lorentz Term) explicitly.

Results and Discussion

The magnetic field in and around the voice coil gap is depicted in [Figure 3](#). The results correspond to the time steps $t = 0.044$ s (upper left), $t = 0.048$ s (upper right), and $t = 0.052$ s (lower left). The motion of the voice coil (in orange), the former, and the spider (both in pink) is clearly observable. You can also see how the moving mesh adapts the mesh to the changed topology of the system.

The iron in the pole piece and top plate is modeled as a nonlinear magnetic material, with the relationship between the B and H fields described by interpolation from measured data. [Figure 4](#) shows the local effective relative permeability $\mu_r = B/(\mu_0 H)$. The plots look similar to that in the [Loudspeaker Driver — Frequency-Domain Analysis](#) model. The relative permeability remains the same throughout the iron at different time steps. It changes slightly only in the areas close to the voice coil.




Figure 3: Magnetic field in and around the voice coil gap at 3 different time steps.




Figure 4: Local relative permeability in the pole piece and top plate at 3 different time steps.

Figure 5 shows the distribution of the acoustic pressure around the loudspeaker. The voice coil and the loudspeaker cone are at the lowermost position at $t = 0.044$ s (see Figure 6). At $t = 0.048$ s and $t = 0.052$ s, the cone is on it way up and down, respectively. It is also seen how the PML attenuates the acoustic waves generated by the motion of the loudspeaker cone.




Figure 5: Acoustic pressure at 3 different time steps.




Figure 6: Relative position of the voice coil.

The acoustic pressure at the listening point is depicted in [Figure 7](#). At the top, you can see the pressure signal as a function of time plotted from $t = 3T_0$ to $t = 4T_0$, where T_0 is the period given by the frequency of the input signal. Here, $T_0 = 1/70$ s. It is assumed that the loudspeaker reaches the steady state by the time $t = 3T_0$. This makes it possible to perform a periodic extension of the pressure signal over time. The extended signal is shown in [Figure 7](#) at the bottom. You can see that the profile slightly differs from a perfect sinusoidal. This means that the output signal also contains frequency components other than f_0 , that is, the value of THD calculated as

$$\text{THD} = \frac{\sqrt{H_2^2 + H_3^2 + \dots + H_N^2}}{H_1},$$

where H_N is the harmonic response of N^{th} harmonic and H_1 is the fundamental response, is different from 0.




Figure 7: Acoustic pressure at the listening point (top) and its periodic extension (bottom).

Figure 8 shows the frequency spectrum of the acoustic signal at the steady state as the value of SPL over frequency. The highest peaks appear at the frequencies multiple of f_0 (red dots) and yields a THD = 4.8%. You can see that the SPL for the odd order harmonics

is higher than that for the even order harmonics, which means the symmetrical system nonlinearities dominate the asymmetrical ones.




Figure 8: Sound pressure level distribution at the listening point.

The plots of the coil power and the dynamic force factor (BL) are depicted in [Figure 9](#) and [Figure 10](#). You can see that the coil power is negative over certain time intervals. This means that the power flows from the voice coil into the circuit, that is, the voice coil operates in the generator mode. The RMS value of the power is of course positive.

The BL curve has a typical shape for a loudspeaker configuration where the voice coil height is comparable to the magnetic pole piece gap depth. Obtaining an idealized BL factor curve, with a constant value, requires a configuration where the coil is much larger or much smaller than the gap height.




Figure 9: Coil power at the steady state.




Figure 10: Dynamic BI force factor vs. relative position of the voice coil.

Notes About the COMSOL Implementation

The step-by-step instruction takes you through the following steps:

- Import the geometry and enter model parameters.
- Apply material settings.
- Set up the physics interfaces.
- Set up the extra features: Moving Mesh and PML.
- Create a study containing the Stationary and the Time Dependent study steps.
- Set up an auxiliary interface and a study to perform a frequency spectrum analysis of a transient signal at a point of interest.
- Work with built-in functionality provided in Functions: Interpolation, Analytic Extension.

The first study in this model contains a Stationary and a Time Dependent study step. The first computes the stationary magnetic field from the permanent magnet. The magnetic field distribution is then used as the initial value for time $t = 0$ s in the second study step. This step computes the transient acoustic-structure interaction and electromagnetic behavior due to the applied voltage, movement and geometry change. Both study steps account for nonlinear deformation of the structural parts of the loudspeaker (Include geometric nonlinearities check box). The Automatic remeshing option is enabled in the time dependent study step to avoid using highly distorted meshes, which could lead to numerically ill-posed problems. In this model, a new mesh is created as soon as the distortion of the current mesh elements exceeds a certain level you specify in advance.

Note: It is important that the quality of the initial mesh is good enough. Otherwise, if the mesh has bad quality elements with sharp wedge-like corners, the remeshing may break down as the quality starts out worse than that specified in the Condition for Remeshing.

The Acoustic-Structure Interaction, Transient multiphysics interface sets up the pressure acoustics and the solid mechanics interfaces together with the Acoustic-Structure Boundary multiphysics coupling. The multiphysics coupling automatically provides and assigns the boundary conditions for the two-way acoustic-structural coupling between the air and the structures. The acoustic-structure interaction is solved for only in the time dependent study step.

The input voltage signal applied to the voice coil is defined by [Equation 1](#). The signal is ramped over the first period, which yields a smooth transition of the voltage from 0 to $V(t)$. The Time Dependent study step solves for the period of time from 0 to $T_{\text{end}} = 4T_0$. The full time interval is split into two subintervals in the study: from 0 to $3T_0$ and from $3T_0$ to T_{end} . The second one is of the most interest since it is assumed that the steady state takes place from the time $3T_0$. Therefore, the time stepping is finer over the second subinterval.

The steady state output signal — the acoustic pressure at the listening point — is interpolated by a cubic spline and extrapolated from the interval $[3T_0, T_{\text{end}}]$ to any time $t > 0$ through the Periodic Extension. The Global ODEs and DAEs interface and the second study take care of the computation of the frequency spectrum of the output signal. The study here consists of a Time Dependent and a Time to Frequency FFT step. The former picks up the values of the periodically extended signal on a specified time interval; the latter, computes the FFT of the signal. Note that the accuracy of the FFT computation becomes higher for longer time intervals. Here, the time interval is chosen to be equal to $10T_0$. Increasing the time interval from the initial T_0 to $10T_0$ (or even higher) is possible because of the Periodic Extension of the output signal.

The present model runs at a relatively low frequency (including the harmonics) and does not require a resolution of eddy currents (the skin depth) in the pole piece. Thus, compared to the frequency domain analysis, the boundary layer mesh has been removed.

Reference

1. Brüel & Kjær, “Audio Distortion Measurements,” *Application Note BO0385*, 1993.
-


Application Library path: Acoustics_Module/Electroacoustic_Transducers/
loudspeaker_driver_transient

Note: This application also requires the file Acoustics_Module/
Electroacoustic_Transducers/loudspeaker_driver_materials as it contains the material definitions for Materials.



Modeling Instructions


From the **File** menu, choose **New**.

NEW

In the **New** window, click  **Model Wizard**.


MODEL WIZARD

- 1 In the **Model Wizard** window, click  **2D Axisymmetric**.
- 2 In the **Select Physics** tree, select **AC/DC>Electromagnetic Fields>Magnetic Fields (mf)**.
- 3 Click **Add**.
- 4 In the **Select Physics** tree, select **Acoustics>Acoustic-Structure Interaction>Acoustic-Solid Interaction, Transient**.
- 5 Click **Add**.
- 6 Click  **Study**.

The Model Wizard lets you select the first one of the study steps you plan to use in the model. Select a stationary study used to solve for the static magnetic fields.
- 7 In the **Select Study** tree, select **Preset Studies for Some Physics Interfaces>Stationary**.
- 8 Click  **Done**.

GLOBAL DEFINITIONS

Parameters I

- 1 In the **Model Builder** window, under **Global Definitions** click **Parameters I**.
- 2 In the **Settings** window for **Parameters**, locate the **Parameters** section.
- 3 Click  **Load from File**.
- 4 Browse to the model's Application Libraries folder and double-click the file `loudspeaker_driver_transient_parameters.txt`.

GEOMETRY I

When working with your own modeling project of an acoustic driver, you will typically either draw the geometry in COMSOL Multiphysics, or import a CAD file of the driver itself and add the surrounding air and PML domains. Here, the entire geometry is imported as a sequence from the geometry file. The instructions to the geometry are found in the appendix at the end of this document.


The geometry should look like that in [Figure 2](#).

- 1 In the **Geometry** toolbar, click  **Insert Sequence**.
- 2 Browse to the model's Application Libraries folder and double-click the file `loudspeaker_driver_transient_geom_sequence.mph`.
- 3 In the **Geometry** toolbar, click  **Build All**.
- 4 Click the  **Zoom Extents** button in the **Graphics** toolbar.

Add a **Ramp** function in order to model the transient regime of the input voltage before it reaches the steady state.

GLOBAL DEFINITIONS



Ramp 1 (rm1)

- 1 In the **Home** toolbar, click  **Functions** and choose **Global>Ramp**.
- 2 In the **Settings** window for **Ramp**, locate the **Parameters** section.
- 3 In the **Location** text field, type $0.1 \cdot T0$.
- 4 In the **Slope** text field, type $1/T0$.
- 5 Select the **Cutoff** check box.
- 6 Click to expand the **Smoothing** section. Select the **Size of transition zone at start** check box.
- 7 In the associated text field, type $0.2 \cdot T0$.
- 8 Select the **Size of transition zone at cutoff** check box.
- 9 In the associated text field, type $0.2 \cdot T0$.



Create selections for the coil and the domains where you will specify the physics and also a selection for the boundary adjacent to the Solid Mechanics domains. Here, the selections are pasted to the text field to simplify the modeling. Normally, they are selected in the geometry window.

DEFINITIONS



Coil

- 1 In the **Definitions** toolbar, click  **Explicit**.
- 2 In the **Settings** window for **Explicit**, type `Coil` in the **Label** text field.
- 3 Locate the **Input Entities** section. Click  **Paste Selection**.
- 4 In the **Paste Selection** dialog box, type `14` in the **Selection** text field.
- 5 Click **OK**.



Solid Mechanics Domains

- 1 In the **Definitions** toolbar, click  **Explicit**.
- 2 In the **Settings** window for **Explicit**, type Solid Mechanics Domains in the **Label** text field.
- 3 Locate the **Input Entities** section. Click  **Paste Selection**.
- 4 In the **Paste Selection** dialog box, type 4, 8-16, 19 in the **Selection** text field.
- 5 Click **OK**.


Magnetic Domains

- 1 In the **Definitions** toolbar, click  **Explicit**.
- 2 In the **Settings** window for **Explicit**, type Magnetic Domains in the **Label** text field.
- 3 Locate the **Input Entities** section. Click  **Paste Selection**.
- 4 In the **Paste Selection** dialog box, type 2, 3, 7-12, 14, 15, 17, 18 in the **Selection** text field.
- 5 Click **OK**.

Acoustic Domains


- 1 In the **Definitions** toolbar, click  **Explicit**.
- 2 In the **Settings** window for **Explicit**, type Acoustic Domains in the **Label** text field.
- 3 Locate the **Input Entities** section. Click  **Paste Selection**.
- 4 In the **Paste Selection** dialog box, type 1-3, 5, 6 in the **Selection** text field.
- 5 Click **OK**.

Solid Mechanics Exterior Boundaries

- 1 In the **Definitions** toolbar, click  **Adjacent**.
- 2 In the **Settings** window for **Adjacent**, type Solid Mechanics Exterior Boundaries in the **Label** text field.
- 3 Locate the **Input Entities** section. Under **Input selections**, click **+ Add**.
- 4 In the **Add** dialog box, select **Solid Mechanics Domains** in the **Input selections** list.
- 5 Click **OK**.

Define an **Average** operator over the coil domain.

Average I (aveopI)

- 1 In the **Definitions** toolbar, click  **Nonlocal Couplings** and choose **Average**.
- 2 In the **Settings** window for **Average**, locate the **Source Selection** section.
- 3 From the **Selection** list, choose **Coil**.


- 4 Locate the **Advanced** section. Clear the **Compute integral in revolved geometry** check box.

MATERIALS

While the material properties used in this model are partly made up, they resemble those used in a real driver. The diaphragm and dust cap both consist of a HexaCone®-like material; a light and very stiff composite. The apex has properties representative of glass fiber materials. The spider, acting as a spring, is made of a phenolic cloth with a much lower stiffness. The material used in the coil is taken to be lighter than copper, as the wire is insulated and does not completely fill the coil domain. The surround, finally, is a light resistive foam.

Except for air and soft Iron, the materials you will use all come from a material library created especially for this model (to be loaded from the file `loudspeaker_driver_materials.mph`). You may notice that some of the materials will report missing properties. For example, the composite does not include any electromagnetic properties. This is fine, as you will not model the magnetic fields in the domains where the composite is used.

ADD MATERIAL

- 1 In the **Home** toolbar, click  **Add Material** to open the **Add Material** window.
- 2 Go to the **Add Material** window.
- 3 In the tree, select **Built-in>Air**.
- 4 Click **Add to Component** in the window toolbar.

MATERIALS

Air (mat1)

First, add air which will be present everywhere in your geometry. Next, switch to using nonlinear Iron in the pole piece and top plate.

ADD MATERIAL

- 1 Go to the **Add Material** window.
- 2 In the tree, select **AC/DC>Soft Iron (With Losses)**.
- 3 Click **Add to Component** in the window toolbar.

MATERIALS


Soft Iron (With Losses) (mat2)

1 Select Domains 7 and 17 only.

In the ribbon, on the **Materials** tab click **Browse Materials**.

The **Import Material Library** functionality is activated by clicking the small icon at the lower-right, below the Material Browser tree.

MATERIAL BROWSER

1 In the **Material Browser** window, click  **Import Material Library**.

2 Browse to the model's Application Libraries folder and double-click the file `loudspeaker_driver_materials.mph`.

3 Click  **Done**.

ADD MATERIAL

1 Go to the **Add Material** window.

2 In the tree, select **loudspeaker driver materials>Composite**.

3 Click **Add to Component** in the window toolbar.

MATERIALS

Composite (mat3)

Select Domains 4 and 16 only.

ADD MATERIAL

1 Go to the **Add Material** window.

2 In the tree, select **loudspeaker driver materials>Cloth**.

3 Click **Add to Component** in the window toolbar.

MATERIALS

Cloth (mat4)

Select Domain 15 only.

ADD MATERIAL

1 Go to the **Add Material** window.

2 In the tree, select **loudspeaker driver materials>Foam**.

3 Click **Add to Component** in the window toolbar.

MATERIALS

Foam (mat5)

Select Domain 19 only.

ADD MATERIAL

- 1 Go to the **Add Material** window.
- 2 In the tree, select **loudspeaker driver materials>Coil**.
- 3 Click **Add to Component** in the window toolbar.

MATERIALS

Coil (mat6)

Select Domain 14 only.

ADD MATERIAL


- 1 Go to the **Add Material** window.
- 2 In the tree, select **loudspeaker driver materials>Glass Fiber**.
- 3 Click **Add to Component** in the window toolbar.

MATERIALS

Glass Fiber (mat7)

Select Domains 8–13 only.

ADD MATERIAL

- 1 Go to the **Add Material** window.
- 2 In the tree, select **loudspeaker driver materials>Generic Ferrite**.
- 3 Click **Add to Component** in the window toolbar.
- 4 In the **Home** toolbar, click  **Add Material** to close the **Add Material** window.

MATERIALS

Generic Ferrite (mat8)

Select Domain 18 only.

Now it is time to set up the physics interfaces. Specify the selection where the Magnetic Fields equation needs to be solved, that is the magnetic motor domain and its surroundings. In the other domains, the magnetic field is assumed to be negligible.


MAGNETIC FIELDS (MF)

- 1 In the **Model Builder** window, under **Component 1 (comp1)** click **Magnetic Fields (mf)**.
- 2 In the **Settings** window for **Magnetic Fields**, locate the **Domain Selection** section.
- 3 From the **Selection** list, choose **Magnetic Domains**.

Ampère's Law is per default solved in all domains where the physics interface is active. Add extra instances of it to the magnet, pole piece, and top plate where you need different constitutive relations.


Select **Solid** for the **Material type** in all Magnetic Fields domains, where the material is different from air.

Ampère's Law 2

- 1 In the **Physics** toolbar, click  **Domains** and choose **Ampère's Law**.
- 2 Select Domain 18 only.
- 3 In the **Settings** window for **Ampère's Law**, locate the **Constitutive Relation B-H** section.
- 4 From the **Magnetization model** list, choose **Remanent flux density**.
- 5 Specify the **e** vector as


0	r
0	phi
1	z

Ampère's Law 3

- 1 In the **Physics** toolbar, click  **Domains** and choose **Ampère's Law**.
- 2 Select Domains 7 and 17 only.
- 3 In the **Settings** window for **Ampère's Law**, locate the **Material Type** section.
- 4 From the **Material type** list, choose **Solid**.
- 5 Locate the **Constitutive Relation B-H** section. From the **Magnetization model** list, choose **B-H curve**.

The BH curve is provided by the soft iron material.

Coil 1

- 1 In the **Physics** toolbar, click  **Domains** and choose **Coil**.
- 2 In the **Settings** window for **Coil**, locate the **Domain Selection** section.
- 3 From the **Selection** list, choose **Coil**.
- 4 Locate the **Material Type** section. From the **Material type** list, choose **Solid**.
- 5 Locate the **Coil** section. From the **Conductor model** list, choose **Homogenized multiturn**.

- 6 From the **Coil excitation** list, choose **Voltage**.
- 7 In the V_{coil} text field, type $V_0 \cdot \sin(2 \cdot \pi \cdot f_0 \cdot t) \cdot \text{ramp}(t[1/s])$.
The harmonic voltage is multiplied by the previously defined ramp function to add the smooth build-up time to the signal.
- 8 Locate the **Homogenized Multiturn Conductor** section. In the N text field, type N_0 .
- 9 In the a_{coil} text field, type $2.4 \cdot 10^{-8} [\text{m}^2]$.
The area of the coil domain is $4 \cdot 10^{-6} \text{ m}^2$. The number of turns $N_0 = 100$ makes the total cross-sectional area covered by the wires equal to $2.4 \cdot 10^{-6} \text{ m}^2$, which will give the fill factor of 60 %.

PRESSURE ACOUSTICS, TRANSIENT (ACTD)

- 1 In the **Model Builder** window, under **Component 1 (comp1)** click **Pressure Acoustics, Transient (actd)**.
- 2 In the **Settings** window for **Pressure Acoustics, Transient**, locate the **Domain Selection** section.
- 3 From the **Selection** list, choose **Acoustic Domains**.
Modify the **Typical Wave Speed for Perfectly Matched Layers** and **Transient Solver Settings** according to the fluid material and the frequency of the input signal. These settings will adjust the scaling in the PML domains and the time-dependent solver settings.
- 4 Locate the **Typical Wave Speed for Perfectly Matched Layers** section. In the c_{ref} text field, type c_0 .
- 5 Locate the **Transient Solver Settings** section. In the **Maximum frequency to resolve** field enter $3 \cdot f_0$. It will give the maximal time step for the Transient Solver.

SOLID MECHANICS (SOLID)




- 1 In the **Model Builder** window, under **Component 1 (comp1)** click **Solid Mechanics (solid)**.
- 2 In the **Settings** window for **Solid Mechanics**, locate the **Domain Selection** section.
- 3 From the **Selection** list, choose **Solid Mechanics Domains**.
With the above selection, you leave out the magnet, pole piece, and top plate. You will consider these domains as perfectly rigid by using the default sound hard wall condition on their surfaces.

Add damping to some of the solid materials.

Linear Elastic Material 1

In the **Model Builder** window, under **Component 1 (comp1)**>**Solid Mechanics (solid)** click **Linear Elastic Material 1**.




Damping 1

- 1 In the **Physics** toolbar, click  **Attributes** and choose **Damping**.
- 2 In the **Settings** window for **Damping**, locate the **Damping Settings** section.
- 3 In the β_{dK} text field, type $0.14/\omega_d$.
- 4 Locate the **Domain Selection** section. Click  **Clear Selection**.
- 5 Click  **Paste Selection**.
- 6 In the **Paste Selection** dialog box, type 15 in the **Selection** text field.
- 7 Click **OK**.

Linear Elastic Material 1

In the **Model Builder** window, click **Linear Elastic Material 1**.




Damping 2

- 1 In the **Physics** toolbar, click  **Attributes** and choose **Damping**.
- 2 In the **Settings** window for **Damping**, locate the **Damping Settings** section.
- 3 In the β_{dK} text field, type $0.46/\omega_d$.
- 4 Locate the **Domain Selection** section. Click  **Clear Selection**.
- 5 Click  **Paste Selection**.
- 6 In the **Paste Selection** dialog box, type 19 in the **Selection** text field.
- 7 Click **OK**.

Linear Elastic Material 1

In the **Model Builder** window, click **Linear Elastic Material 1**.




Damping 3

- 1 In the **Physics** toolbar, click  **Attributes** and choose **Damping**.
- 2 In the **Settings** window for **Damping**, locate the **Damping Settings** section.
- 3 From the **Damping type** list, choose **Viscous damping**.
- 4 In the η_b text field, type $\eta_{s_gf} * K_{gf} / \omega_0$.
- 5 In the η_v text field, type $\eta_{s_gf} * G_{gf} / \omega_0$.
- 6 Locate the **Domain Selection** section. Click  **Clear Selection**.
- 7 Click  **Paste Selection**.
- 8 In the **Paste Selection** dialog box, type 8-13 in the **Selection** text field.
- 9 Click **OK**.

Linear Elastic Material 1



In the **Model Builder** window, click **Linear Elastic Material 1**.

Damping 4

- 1 In the **Physics** toolbar, click  **Attributes** and choose **Damping**.
- 2 In the **Settings** window for **Damping**, locate the **Damping Settings** section.
- 3 From the **Damping type** list, choose **Viscous damping**.
- 4 In the η_b text field, type $\eta_{s_com} * K_{com} / \omega_0$.
- 5 In the η_v text field, type $\eta_{s_com} * G_{com} / \omega_0$.
- 6 Locate the **Domain Selection** section. Click  **Clear Selection**.
- 7 Click  **Paste Selection**.
- 8 In the **Paste Selection** dialog box, type 4 16 in the **Selection** text field.
- 9 Click **OK**.

The spider and the surround are attached to the case.

Fixed Constraint 1

- 1 In the **Physics** toolbar, click  **Boundaries** and choose **Fixed Constraint**.
- 2 In the **Settings** window for **Fixed Constraint**, locate the **Boundary Selection** section.
- 3 Click  **Paste Selection**.
- 4 In the **Paste Selection** dialog box, type 70 74 in the **Selection** text field.
- 5 Click **OK**.

Now, look into the multiphysics coupling under the **Multiphysics** node. When using a predefined multiphysics interface, the coupling is automatically applied to all acoustic-solid boundaries.


MULTIPHYSICS

Acoustic-Structure Boundary 1 (asb1)

Add a **Perfectly Matched Layer** to truncate the computational domain without introducing spurious reflections of the acoustic waves from the outer boundary.

DEFINITIONS

Perfectly Matched Layer 1 (pml1)


- 1 In the **Definitions** toolbar, click  **Perfectly Matched Layer**.
- 2 Select Domains 1 and 6 only.

- 3 In the **Settings** window for **Perfectly Matched Layer**, locate the **Scaling** section.
- 4 In the **PML scaling curvature parameter** text field, type 3.

The Solid Mechanics domains will move and deform due to the motion of the voice coil caused by the Lorenz force. To account for the deformed configuration of the system during the calculation of the stationary magnetic field, add the **Moving Mesh** feature and specify the **Deforming Domain** above and below the moving parts. Set a **Prescribed Mesh Displacement** equal to the Displacement field components (u, w) on the Solid Mechanics exterior boundaries.


Deforming Domain 1

- 1 In the **Definitions** toolbar, click  **Moving Mesh** and choose **Deforming Domain**.
- 2 Select Domains 3 and 5 only.




- 3 In the **Settings** window for **Deforming Domain**, locate the **Smoothing** section.
- 4 From the **Mesh smoothing type** list, choose **Laplace**.

Fixed Boundary 1

- 1 In the **Definitions** toolbar, click  **Moving Mesh** and choose **Fixed Boundary**.
- 2 In the **Settings** window for **Fixed Boundary**, locate the **Boundary Selection** section.
- 3 From the **Selection** list, choose **All boundaries**.

Prescribed Mesh Displacement 1

- 1 In the **Definitions** toolbar, click  **Moving Mesh** and choose **Prescribed Mesh Displacement**.
- 2 In the **Settings** window for **Prescribed Mesh Displacement**, locate the **Boundary Selection** section.
- 3 From the **Selection** list, choose **Solid Mechanics Exterior Boundaries**.
- 4 Locate the **Prescribed Mesh Displacement** section. Specify the dx vector as

u	R
w	Z


Symmetry/Roller 1

- 1 In the **Definitions** toolbar, click  **Moving Mesh** and choose **Symmetry/Roller**.
- 2 Select Boundaries 3 and 6 only.

Now, the **Lorentz Coupling** multiphysics feature is added to handle Lorentz force on the coil (it represents the product of the time-harmonic current and the static magnetic field in which it is traveling). For details, see [Notes About the COMSOL Implementation](#).

MULTIPHYSICS

Lorentz Coupling 1 (ltzc1)

- 1 In the **Physics** toolbar, click  **Multiphysics Couplings** and choose **Domain> Lorentz Coupling**.
- 2 In the **Settings** window for **Lorentz Coupling**, locate the **Domain Selection** section.
- 3 From the **Selection** list, choose **Coil**.

In the model `Acoustics_Module/Electroacoustic_Transducers/loudspeaker_driver`, it was important to have a finer mesh along the iron surfaces next to the voice coil. The mesh refinement took the skin depth into account, which resolved the eddy currents in the pole and the top plate at higher frequencies.

Here, the frequency of the driving voltage is $f_0 = 70$ Hz. This gives the skin depth of approximately 0.5 mm, which is comparable to the width of the voice coil. Therefore, the mesh refinement it is not necessary in this case.


For the acoustic-structure interaction, the air domain and the thin moving structures also need to be well resolved. The **Extra fine** setting gives a maximum element size of 6 mm which is by orders of magnitude smaller than the suggested 6 elements per wavelength (80 cm here) slowing down the analysis without adding any relevant information. That is why the model uses a user defined mesh with a very fine mesh

around the voice coil and a coarser mesh in the rest of the model. For the structural components, the model uses a **Mapped** mesh with 2 elements through the thickness. The PML is also preferably meshed with mapped elements, use 8 elements for the default polynomial scaling.


MESH I

- 1 In the **Model Builder** window, under **Component 1 (comp1)** click **Mesh I**.
- 2 In the **Settings** window for **Mesh**, locate the **Mesh Settings** section.
- 3 From the **Sequence type** list, choose **User-controlled mesh**.

Size

- 1 In the **Model Builder** window, under **Component 1 (comp1)>Mesh I** click **Size**.
- 2 In the **Settings** window for **Size**, locate the **Element Size** section.
- 3 Click the **Custom** button.
- 4 Locate the **Element Size Parameters** section. In the **Maximum element size** text field, type 15[mm].
- 5 In the **Minimum element size** text field, type 0.10[mm].
- 6 In the **Curvature factor** text field, type 0.25.
- 7 Click  **Build Selected**.

Mapped I


- 1 In the **Mesh** toolbar, click  **Mapped**.
- 2 In the **Settings** window for **Mapped**, locate the **Domain Selection** section.
- 3 From the **Geometric entity level** list, choose **Domain**.
- 4 Select Domains 4, 8–12, 14–16, and 19 only.
- 5 Click to expand the **Reduce Element Skewness** section. Select the **Adjust edge mesh** check box.

Distribution I


- 1 Right-click **Mapped I** and choose **Distribution**.
- 2 Select Boundaries 18, 30, 33, and 37 only.
- 3 In the **Settings** window for **Distribution**, locate the **Distribution** section.
- 4 In the **Number of elements** text field, type 2.

Size I


- 1 In the **Model Builder** window, right-click **Mapped I** and choose **Size**.
- 2 In the **Settings** window for **Size**, locate the **Geometric Entity Selection** section.

- 3 Click  **Clear Selection**.
- 4 Select Domains 9 and 14 only.
- 5 Locate the **Element Size** section. Click the **Custom** button.
- 6 Locate the **Element Size Parameters** section. Select the **Maximum element size** check box.
- 7 In the associated text field, type 0.15 [mm].

Size 2

- 1 Right-click **Mapped 1** and choose **Size**.
- 2 In the **Settings** window for **Size**, locate the **Geometric Entity Selection** section.
- 3 Click  **Clear Selection**.
- 4 Select Domains 12 and 15 only.
- 5 Locate the **Element Size** section. Click the **Custom** button.
- 6 Locate the **Element Size Parameters** section. Select the **Maximum element size** check box.
- 7 In the associated text field, type 0.7 [mm].

Size 3

- 1 Right-click **Mapped 1** and choose **Size**.
- 2 In the **Settings** window for **Size**, locate the **Geometric Entity Selection** section.
- 3 Click  **Clear Selection**.
- 4 Select Domains 4, 16, and 19 only.
- 5 Locate the **Element Size** section. Click the **Custom** button.
- 6 Locate the **Element Size Parameters** section. Select the **Maximum element size** check box.
- 7 In the associated text field, type 1.0 [mm].

Distribution 2

- 1 Right-click **Mapped 1** and choose **Distribution**.
- 2 Select Boundary 19 only.
- 3 In the **Settings** window for **Distribution**, locate the **Distribution** section.
- 4 From the **Distribution type** list, choose **Predefined**.
- 5 In the **Number of elements** text field, type 20.
- 6 In the **Element ratio** text field, type 3.

Distribution 3



- 1 Right-click **Mapped 1** and choose **Distribution**.
- 2 Select Boundary 15 only.

- 3 In the **Settings** window for **Distribution**, locate the **Distribution** section.
- 4 From the **Distribution type** list, choose **Predefined**.
- 5 In the **Number of elements** text field, type 10.
- 6 In the **Element ratio** text field, type 3.
- 7 Select the **Reverse direction** check box.


Free Triangular 1

- 1 In the **Model Builder** window, click **Free Triangular 1**.
- 2 In the **Settings** window for **Free Triangular**, locate the **Domain Selection** section.
- 3 From the **Geometric entity level** list, choose **Domain**.
- 4 Select Domains 2, 3, 5, 7, 13, 17, and 18 only.


Size 1

- 1 Right-click **Free Triangular 1** and choose **Size**.
- 2 In the **Settings** window for **Size**, locate the **Geometric Entity Selection** section.
- 3 Click  **Clear Selection**.
- 4 Select Domains 7, 17, and 18 only.
- 5 Locate the **Element Size** section. Click the **Custom** button.
- 6 Locate the **Element Size Parameters** section. Select the **Maximum element size** check box.
- 7 In the associated text field, type 3[mm].
- 8 Select the **Minimum element size** check box.
- 9 In the associated text field, type 0.5[mm].
- 10 Click  **Build All**.

Mapped 2

- 1 In the **Mesh** toolbar, click  **Mapped**.
- 2 In the **Settings** window for **Mapped**, locate the **Reduce Element Skewness** section.
- 3 Select the **Adjust edge mesh** check box.

Distribution 1

- 1 Right-click **Mapped 2** and choose **Distribution**.
- 2 Select Boundaries 76 and 77 only.
- 3 In the **Settings** window for **Distribution**, locate the **Distribution** section.
- 4 In the **Number of elements** text field, type 8.
- 5 Click  **Build All**.


It is time to set up the study that will include the interaction between all physics interfaces present in the model. In the **Stationary** study step, clear all of the physics interfaces except for the Magnetic Fields.

STUDY I

Step 1: Stationary

- 1 In the **Model Builder** window, under **Study I** click **Step 1: Stationary**.
- 2 In the **Settings** window for **Stationary**, locate the **Physics and Variables Selection** section.
- 3 In the table, clear the **Solve for** check boxes for **Pressure Acoustics**, **Transient (actd)**, **Solid Mechanics (solid)**, and **Moving mesh (Component 1)**.
- 4 In the table, clear the **Solve for** check box for **Acoustic-Structure Boundary 1 (asb1)**.
Add a Time Dependent study step which will account for the acoustics-structure interaction and the moving mesh.


Time Dependent


- 1 In the **Study** toolbar, click  **Study Steps** and choose **Time Dependent** > **Time Dependent**.

Assume that the transient process reaches the steady state by the time $3 \cdot T_0$. Split the time interval into two intervals: from 0 to $3 \cdot T_0$ and from $3 \cdot T_0$ to T_{end} . In the first one, use a coarser time stepping for the solution storage; in the second one, use a finer time stepping.

- 2 In the **Settings** window for **Time Dependent**, locate the **Study Settings** section.
- 3 In the **Output times** text field, type `{range(0, T0/5, 14*T0/5) range(3*T0, T0/50, T_end)}`.
- 4 Click to expand the **Study Extensions** section. Select the **Automatic remeshing** check box.
The **Automatic Remeshing** option assures that the distortion of the mesh elements will not exceed a certain threshold. As soon as the threshold is reached, the domain will be remeshed.

Solution 1 (sol1)

- 1 In the **Study** toolbar, click  **Show Default Solver**.
- 2 In the **Model Builder** window, expand the **Solution 1 (sol1)** node, then click **Time-Dependent Solver 1**.
- 3 In the **Settings** window for **Time-Dependent Solver**, locate the **General** section.
- 4 From the **Times to store** list, choose **Output times by interpolation**.

- 5 In the **Model Builder** window, expand the **Study 1>Solver Configurations>Solution 1 (sol1)>Time-Dependent Solver 1** node, then click **Automatic Remeshing**.
- 6 In the **Settings** window for **Automatic Remeshing**, locate the **Condition for Remeshing** section.
- 7 From the **Condition type** list, choose **Distortion**.
- 8 In the **Stop when distortion exceeds** text field, type 2.5.
- 9 Locate the **Remesh** section. Clear the **Store solution when new meshes are created** check box.
- 10 In the **Model Builder** window, click **Study 1**.
- 11 In the **Settings** window for **Study**, type Study 1 - Time Dependent Analysis in the **Label** text field.
- 12 In the **Study** toolbar, click  **Compute**.

Plot the magnetic field in the voice coil air gap. It is clearly seen that the voice coil has moved down from its initial position. Use the **Zoom Box** to zoom in on the magnetic gap.

RESULTS

Magnetic Flux Density Norm (mf)



- 1 In the **Settings** window for **2D Plot Group**, click to expand the **Title** section.
- 2 From the **Title type** list, choose **Manual**.
- 3 Select the **Allow evaluation of expressions** check box.
- 4 In the **Title** text area, type Magnetic flux density norm, Time = eval(t) s.
- 5 Clear the **Parameter indicator** text field.
- 6 From the **Number format** list, choose **Automatic**.
- 7 In the **Model Builder** window, expand the **Magnetic Flux Density Norm (mf)** node.


Contour 1, Streamline 1

- 1 In the **Model Builder** window, under **Results>Magnetic Flux Density Norm (mf)**, Ctrl-click to select **Streamline 1** and **Contour 1**.
- 2 Right-click and choose **Disable**.

Streamline 2

- 1 In the **Model Builder** window, right-click **Magnetic Flux Density Norm (mf)** and choose **Streamline**.
- 2 In the **Settings** window for **Streamline**, locate the **Selection** section.

- 3 Click  **Paste Selection**.
- 4 In the **Paste Selection** dialog box, type 40 in the **Selection** text field.
- 5 Click **OK**.
- 6 In the **Settings** window for **Streamline**, locate the **Coloring and Style** section.
- 7 Find the **Point style** subsection. From the **Color** list, choose **Gray**.
- 8 In the **Magnetic Flux Density Norm (mf)** toolbar, click  **Plot**.



Acoustic Pressure (actd)

- 1 In the **Model Builder** window, click **Acoustic Pressure (actd)**.
- 2 In the **Settings** window for **2D Plot Group**, locate the **Title** section.
- 3 From the **Title type** list, choose **Manual**.
- 4 In the **Title** text area, type Acoustic pressure, Time = eval(t) s.
- 5 Select the **Allow evaluation of expressions** check box.
- 6 Clear the **Parameter indicator** text field.
- 7 From the **Number format** list, choose **Automatic**.
- 8 Locate the **Plot Settings** section. From the **Frame** list, choose **Spatial (r, phi, z)**.


Surface 1


- 1 In the **Model Builder** window, expand the **Acoustic Pressure (actd)** node, then click **Surface 1**.
- 2 In the **Settings** window for **Surface**, click to expand the **Range** section.
- 3 Select the **Manual color range** check box.
- 4 In the **Minimum** text field, type -150.
- 5 In the **Maximum** text field, type 150.

Selection 1

- 1 Right-click **Surface 1** and choose **Selection**.
- 2 Select Domains 2–5 and 7–19 only.

Select all domains except the PML region where the solution is unphysical. Simply select all domains (you can use Ctrl+A) and then deselect the two PML domains (domains 1 and 6).

- 3 In the **Acoustic Pressure (actd)** toolbar, click  **Plot**.



Plot the acoustic pressure at the listening point over the time interval $[3 \cdot T_0, T_{\text{end}}]$.

Pressure at Listening Point

- 1 In the **Home** toolbar, click  **Add Plot Group** and choose **ID Plot Group**.

- 2 In the **Settings** window for **ID Plot Group**, type Pressure at Listening Point in the **Label** text field.
- 3 Locate the **Data** section. From the **Dataset** list, choose **Study I - Time Dependent Analysis/ Remeshed Solution I (sol3)**.
- 4 From the **Time selection** list, choose **Interpolated**.
- 5 In the **Times (s)** text field, type range($3 \cdot T_0$, $T_0/50$, T_{end}).
- 6 Click to expand the **Title** section. From the **Title type** list, choose **Label**.

Point Graph I


- 1 Right-click **Pressure at Listening Point** and choose **Point Graph**.
- 2 Select Point 6 only.
- 3 In the **Settings** window for **Point Graph**, locate the **y-Axis Data** section.
- 4 In the **Expression** text field, type p.

The pressure at the listening point should look like the one in [Figure 7](#) at the top.

- 5 In the **Pressure at Listening Point** toolbar, click  **Plot**.

It is seen that the shape of the signal slightly differs from a perfectly sinusoidal one. That is, its THD is different from 0. The instruction below will help you to do the frequency spectrum analysis of the signal and calculate its THD.

Pressure at Point

- 1 In the **Results** toolbar, click  **Point Evaluation**.
- 2 In the **Settings** window for **Point Evaluation**, type Pressure at Point in the **Label** text field.
- 3 Locate the **Data** section. From the **Dataset** list, choose **Study I - Time Dependent Analysis/ Remeshed Solution I (sol3)**.
- 4 From the **Time selection** list, choose **Interpolated**.
- 5 In the **Times (s)** text field, type range($3 \cdot T_0$, $T_0/50$, T_{end}).
- 6 Select Point 6 only.
- 7 Locate the **Expressions** section. In the table, enter the following settings:

Expression	Unit	Description
p	Pa	Pressure


- 8 Click  next to  **Evaluate**, then choose **New Table**.

Pressure at Point

- 1 In the **Model Builder** window, expand the **Results>Tables** node, then click **Table 1**.
- 2 In the **Settings** window for **Table**, type **Pressure at Point** in the **Label** text field.
Make an Interpolation and a Periodic Extension of the pressure at the listening point.

GLOBAL DEFINITIONS


Interpolation 1 (int1)

- 1 In the **Home** toolbar, click  **Functions** and choose **Global>Interpolation**.
- 2 In the **Settings** window for **Interpolation**, locate the **Definition** section.
- 3 From the **Data source** list, choose **Result table**.
- 4 Find the **Functions** subsection. In the table, enter the following settings:


Function name	Position in file
p_point	1

- 5 Locate the **Interpolation and Extrapolation** section. From the **Interpolation** list, choose **Cubic spline**.
- 6 From the **Extrapolation** list, choose **Nearest function**.
- 7 Locate the **Units** section. In the **Arguments** text field, type **s**.
- 8 In the **Function** text field, type **Pa**.

9 Click  **Plot**.



Analytic 1 (an1)

- 1 In the **Home** toolbar, click  **Functions** and choose **Global>Analytic**.
- 2 In the **Settings** window for **Analytic**, type `p_periodic` in the **Function name** text field.
- 3 Locate the **Definition** section. In the **Expression** text field, type `p_point(t)`.
- 4 In the **Arguments** text field, type `t`.
- 5 Click to expand the **Periodic Extension** section. Select the **Make periodic** check box.
- 6 In the **Lower limit** text field, type `3*T0`.
- 7 In the **Upper limit** text field, type `4*T0`.
- 8 Locate the **Units** section. In the **Arguments** text field, type `s`.
- 9 In the **Function** text field, type `Pa`.
- 10 Locate the **Plot Parameters** section. In the table, enter the following settings:

Argument	Lower limit	Upper limit
t	0	4*T0

The Periodic Extension will reproduce the steady state of the signal as shown in [Figure 7](#) at the bottom.



11 Click  **Plot**.

Now, set up the components necessary to analyze the frequency spectrum and the THD of the acoustic pressure in steady state.

ADD COMPONENT

In the **Model Builder** window, right-click the root node and choose **Add Component>OD**.

ADD PHYSICS





- 1 In the **Home** toolbar, click  **Add Physics** to open the **Add Physics** window.
- 2 Go to the **Add Physics** window.
- 3 In the tree, select **Mathematics>ODE and DAE Interfaces>Global ODEs and DAEs (ge)**.
- 4 Find the **Physics interfaces in study** subsection. In the table, clear the **Solve** check box for **Study 1 - Time Dependent Analysis**.
- 5 Click **Add to Component 2** in the window toolbar.
- 6 In the **Home** toolbar, click  **Add Physics** to close the **Add Physics** window.

GLOBAL ODES AND DAES (GE)

Global Equations 1

- 1 In the **Model Builder** window, under **Component 2 (comp2)>Global ODEs and DAEs (ge)** click **Global Equations 1**.
- 2 In the **Settings** window for **Global Equations**, locate the **Global Equations** section.
- 3 In the table, enter the following settings:

Name	f(u,ut,utt,t) (l)	Initial value (u_0) (l)	Initial value (u_t0) (1/s)	Description
P	P - p_periodic(t)	0	0	

- 4 Locate the **Units** section. Click  **Select Dependent Variable Quantity**.
- 5 In the **Physical Quantity** dialog box, type id:pressure in the text field.
- 6 Click  **Filter**.
- 7 In the tree, select **General>Pressure (Pa)**.
- 8 Click **OK**.
- 9 In the **Settings** window for **Global Equations**, locate the **Units** section.
- 10 Click  **Select Source Term Quantity**.
- 11 In the **Physical Quantity** dialog box, click  **Filter**.

12 In the tree, select **General>Pressure (Pa)**.

13 Click **OK**.

ADD STUDY

1 In the **Home** toolbar, click  **Add Study** to open the **Add Study** window.

2 Go to the **Add Study** window.

3 Find the **Studies** subsection. In the **Select Study** tree, select **General Studies>Time Dependent**.

4 Click **Add Study** in the window toolbar.

5 In the **Model Builder** window, click the root node.

6 In the **Home** toolbar, click  **Add Study** to close the **Add Study** window.

STUDY 2

Step 1: Time Dependent

The Interpolation and the Periodic Extension done before make it possible to increase the time interval and refine the time stepping for a more accurate frequency spectrum calculation.


1 In the **Settings** window for **Time Dependent**, locate the **Study Settings** section.

2 In the **Output times** text field, type range(0, T0/200, 10*T0).

3 Locate the **Physics and Variables Selection** section. In the table, clear the **Solve for** check boxes for **Magnetic Fields (mf)**, **Pressure Acoustics, Transient (actd)**, **Solid Mechanics (solid)**, and **Moving mesh (Component 1)**.

4 In the table, clear the **Solve for** check box for **Acoustic-Structure Boundary 1 (asb1)**.

Time to Frequency FFT

1 In the **Study** toolbar, click  **Study Steps** and choose **Frequency Domain>Time to Frequency FFT**.

2 In the **Settings** window for **Time to Frequency FFT**, locate the **Study Settings** section.


3 In the **End time** text field, type 10*T0.

4 In the **Maximum output frequency** text field, type 10*f0.

5 Locate the **Physics and Variables Selection** section. In the table, clear the **Solve for** check boxes for **Magnetic Fields (mf)**, **Pressure Acoustics, Transient (actd)**, **Solid Mechanics (solid)**, and **Moving mesh (Component 1)**.


6 In the table, clear the **Solve for** check box for **Acoustic-Structure Boundary 1 (asb1)**.

7 In the **Model Builder** window, click **Study 2**.

- 8 In the **Settings** window for **Study**, type Study 2 - Periodic Signal Extraction and FFT in the **Label** text field.
- 9 Locate the **Study Settings** section. Clear the **Generate default plots** check box.
- 10 In the **Study** toolbar, click  **Compute**.
Plot the sound pressure level at the listening point as a function of frequency to reproduce the result shown in [Figure 8](#).

RESULTS

SPL at Listening Point, FFT

- 1 In the **Home** toolbar, click  **Add Plot Group** and choose **ID Plot Group**.
- 2 In the **Settings** window for **ID Plot Group**, type SPL at Listening Point, FFT in the **Label** text field.
- 3 Locate the **Data** section. From the **Dataset** list, choose **Study 2 - Periodic Signal Extraction and FFT/Solution 4 (sol4)**.
- 4 Locate the **Title** section. From the **Title type** list, choose **Label**.
- 5 Locate the **Plot Settings** section. Select the **x-axis label** check box.
- 6 In the associated text field, type Frequency (Hz).
- 7 Select the **y-axis label** check box.
- 8 In the associated text field, type Sound Pressure Level (dB).
- 9 Locate the **Axis** section. Select the **Manual axis limits** check box.
- 10 In the **x minimum** text field, type 10.
- 11 In the **x maximum** text field, type 750.
- 12 In the **y minimum** text field, type 0.
- 13 In the **y maximum** text field, type 100.
- 14 Select the **x-axis log scale** check box.

Global 1

- 1 Right-click **SPL at Listening Point, FFT** and choose **Global**.
- 2 In the **Settings** window for **Global**, locate the **y-Axis Data** section.
- 3 In the table, enter the following settings:

Expression	Unit	Description
$20 \cdot \log_{10}(\text{abs}(\text{comp2.P}) / \text{actd.pref_SPL} / \text{sqrt}(2))$		

- 4 Click to expand the **Legends** section. From the **Legends** list, choose **Manual**.

5 In the table, enter the following settings:


Legends

SPL at Point

SPL at Listening Point, FFT

In the **Model Builder** window, click **SPL at Listening Point, FFT**.

Octave Band 1

- 1 In the **SPL at Listening Point, FFT** toolbar, click  **More Plots** and choose **Octave Band**.
- 2 In the **Settings** window for **Octave Band**, locate the **Selection** section.
- 3 From the **Geometric entity level** list, choose **Global**.
- 4 Locate the **y-Axis Data** section. In the **Expression** text field, type `comp2.P`.
- 5 Locate the **Plot** section. From the **Style** list, choose **1/3 octave bands**.
- 6 Click to expand the **Coloring and Style** section. From the **Type** list, choose **Outline**.
- 7 Click to expand the **Legends** section. From the **Legends** list, choose **Manual**.
- 8 Select the **Show legends** check box.
- 9 In the table, enter the following settings:

Legends

1/3 octave bands

Global 2

- 1 In the **Model Builder** window, under **Results>SPL at Listening Point, FFT** right-click **Global 1** and choose **Duplicate**.
- 2 In the **Settings** window for **Global**, locate the **Data** section.
- 3 From the **Dataset** list, choose **Study 2 - Periodic Signal Extraction and FFT/ Solution 4 (sol4)**.
- 4 From the **Parameter selection (freq)** list, choose **Manual**.
- 5 In the **Parameter indices (1-101)** text field, type `range(11, 10, 101)`.
- 6 Click to expand the **Coloring and Style** section. Find the **Line style** subsection. From the **Line** list, choose **None**.
- 7 Find the **Line markers** subsection. From the **Marker** list, choose **Point**.
- 8 From the **Positioning** list, choose **In data points**.


9 Locate the **Legends** section. In the table, enter the following settings:

Legends
SPL for Frequencies N*f0

10 In the **SPL at Listening Point, FFT** toolbar, click  **Plot**.

For the THD calculation, pick up the pressure at the frequencies that are multiples of f0.

THD Evaluation

1 In the **Results** toolbar, click  **Global Evaluation**.

2 In the **Settings** window for **Global Evaluation**, type THD Evaluation in the **Label** text field.

3 Locate the **Data** section. From the **Dataset** list, choose **Study 2 - Periodic Signal Extraction and FFT/Solution 4 (sol4)**.

4 From the **Parameter selection (freq)** list, choose **First**.


5 Locate the **Expressions** section. In the table, enter the following settings:

Expression	Unit	Description
$\sqrt{\text{sum}(\text{with}(11 + 10*k, \text{abs}(\text{comp2.P})^2), k, 1, 9))/\text{with}(11, \text{abs}(\text{comp2.P}))}$	1	THD

6 Click  **Evaluate**.

Next, calculate the coil power and the dynamic Bl force factor.

Coil Power

1 In the **Results** toolbar, click  **ID Plot Group**.

2 In the **Settings** window for **ID Plot Group**, type Coil Power in the **Label** text field.

3 Locate the **Data** section. From the **Dataset** list, choose **Study 1 - Time Dependent Analysis/ Remeshed Solution 1 (sol3)**.

4 From the **Time selection** list, choose **Interpolated**.

5 In the **Times (s)** text field, type $\text{range}(3*T0, T0/50, T_end)$.


6 Locate the **Title** section. From the **Title type** list, choose **Label**.

Global I

1 Right-click **Coil Power** and choose **Global**.


- 2 In the **Settings** window for **Global**, click **Replace Expression** in the upper-right corner of the **y-Axis Data** section. From the menu, choose **Component 1 (comp1)>Magnetic Fields>Coil parameters>mf.PCoil_1 - Coil power - W**.

The coil power plot should look like [Figure 9](#).

- 3 In the **Coil Power** toolbar, click  **Plot**.

This expression corresponds to the z -coordinate of the voice coil center relative to its position at the time $t = 0$.

Dynamic Bl force factor

- 1 In the **Home** toolbar, click  **Add Plot Group** and choose **ID Plot Group**.
- 2 In the **Settings** window for **ID Plot Group**, type **Dynamic Bl force factor** in the **Label** text field.
- 3 Locate the **Data** section. From the **Dataset** list, choose **Study 1 - Time Dependent Analysis/ Remeshed Solution 1 (sol3)**.
- 4 From the **Time selection** list, choose **Interpolated**.
- 5 In the **Times (s)** text field, type $\text{range}(3 \cdot T_0, T_0/50, T_{\text{end}})$.
- 6 Locate the **Title** section. From the **Title type** list, choose **Manual**.
- 7 In the **Title** text area, type **Dynamic Bl force factor vs. relative position of the voice coil**.

Global I

- 1 Right-click **Dynamic Bl force factor** and choose **Global**.
- 2 In the **Settings** window for **Global**, locate the **y-Axis Data** section.
- 3 In the table, enter the following settings:

Expression	Unit	Description
aveop1(-mf.Br*N0*2*pi*r)	T*m	Dynamic Bl force factor

- 4 Locate the **x-Axis Data** section. From the **Parameter** list, choose **Expression**.
- 5 In the **Expression** text field, type $\text{aveop1}(z - Z)$.
- 6 Select the **Description** check box.
- 7 In the associated text field, type **Relative position of the coil**.


The curve of the dynamic Bl force factor is depicted in [Figure 10](#).

- 8 In the **Dynamic Bl force factor** toolbar, click  **Plot**.

Appendix: Geometry Sequence Instructions

From the **File** menu, choose **New**.

NEW


In the **New** window, click  **Blank Model**.

ADD COMPONENT

In the **Home** toolbar, click  **Add Component** and choose **2D Axisymmetric**.


GEOMETRY I

Circle 1 (c1)

- 1 In the **Geometry** toolbar, click  **Circle**.
- 2 In the **Settings** window for **Circle**, locate the **Size and Shape** section.
- 3 In the **Radius** text field, type 130[mm].
- 4 Click to expand the **Layers** section. In the table, enter the following settings:

Layer name	Thickness (m)
Layer 1	15 [mm]

Circle 2 (c2)


- 1 In the **Geometry** toolbar, click  **Circle**.
- 2 In the **Settings** window for **Circle**, locate the **Size and Shape** section.
- 3 In the **Radius** text field, type 8[mm].
- 4 In the **Sector angle** text field, type 180.
- 5 Locate the **Position** section. In the **r** text field, type 74[mm].
- 6 Locate the **Layers** section. In the table, enter the following settings:

Layer name	Thickness (m)
Layer 1	1.5 [mm]



Delete Entities 1 (del1)

- 1 In the **Model Builder** window, right-click **Geometry I** and choose **Delete Entities**.
- 2 On the object **c2**, select Boundaries 2–4 only.
- 3 In the **Settings** window for **Delete Entities**, locate the **Selections of Resulting Entities** section.
- 4 Select the **Resulting objects selection** check box.


Rectangle 1 (r1)

- 1 In the **Geometry** toolbar, click  **Rectangle**.
- 2 In the **Settings** window for **Rectangle**, locate the **Size and Shape** section.
- 3 In the **Width** text field, type 70[mm].
- 4 In the **Height** text field, type 1[mm].
- 5 Locate the **Position** section. In the **r** text field, type 80.5[mm].
- 6 In the **z** text field, type -1[mm].


Difference 1 (dif1)

- 1 In the **Geometry** toolbar, click  **Booleans and Partitions** and choose **Difference**.
- 2 Select the object **cl** only.
- 3 In the **Settings** window for **Difference**, locate the **Difference** section.
- 4 Find the **Objects to subtract** subsection. Select the  **Activate Selection** toggle button.
- 5 Select the object **r1** only.


Rectangle 2 (r2)

- 1 In the **Geometry** toolbar, click  **Rectangle**.
- 2 In the **Settings** window for **Rectangle**, locate the **Size and Shape** section.
- 3 In the **Width** text field, type 42[mm].
- 4 In the **Height** text field, type 35[mm].
- 5 Locate the **Position** section. In the **r** text field, type 6[mm].
- 6 In the **z** text field, type -87[mm].

Rectangle 3 (r3)


- 1 In the **Geometry** toolbar, click  **Rectangle**.
- 2 In the **Settings** window for **Rectangle**, locate the **Size and Shape** section.
- 3 In the **Width** text field, type 35.5[mm].
- 4 In the **Height** text field, type 20[mm].
- 5 Locate the **Position** section. In the **r** text field, type 15.5[mm].
- 6 In the **z** text field, type -80[mm].

Rectangle 4 (r4)


- 1 In the **Geometry** toolbar, click  **Rectangle**.
- 2 In the **Settings** window for **Rectangle**, locate the **Size and Shape** section.
- 3 In the **Width** text field, type 1.2[mm].

- 4 In the **Height** text field, type 8[mm].
- 5 Locate the **Position** section. In the **r** text field, type 17.8[mm].
- 6 In the **z** text field, type -60[mm].



Rectangle 5 (r5)

- 1 In the **Geometry** toolbar, click  **Rectangle**.
- 2 In the **Settings** window for **Rectangle**, locate the **Size and Shape** section.
- 3 In the **Width** text field, type 26[mm].
- 4 In the **Height** text field, type 20[mm].
- 5 Locate the **Position** section. In the **r** text field, type 25[mm].
- 6 In the **z** text field, type -80[mm].


Polygon 1 (pol1)

- 1 In the **Geometry** toolbar, click  **Polygon**.
- 2 In the **Settings** window for **Polygon**, locate the **Coordinates** section.
- 3 From the **Data source** list, choose **Vectors**.
- 4 In the **r** text field, type 48[mm] 36[mm] 36[mm] 48[mm].
- 5 In the **z** text field, type -82[mm] -87[mm] -87[mm] -87[mm].

Difference 2 (dif2)

- 1 In the **Geometry** toolbar, click  **Booleans and Partitions** and choose **Difference**.
- 2 Select the object **r2** only.
- 3 In the **Settings** window for **Difference**, locate the **Difference** section.
- 4 Find the **Objects to subtract** subsection. Select the  **Activate Selection** toggle button.
- 5 Select the objects **pol1**, **r3**, and **r4** only.
- 6 Locate the **Selections of Resulting Entities** section. Select the **Resulting objects selection** check box.

Rectangle 6 (r6)

- 1 In the **Geometry** toolbar, click  **Rectangle**.
- 2 In the **Settings** window for **Rectangle**, locate the **Size and Shape** section.
- 3 In the **Width** text field, type 0.2[mm].
- 4 In the **Height** text field, type 25[mm].
- 5 Locate the **Position** section. In the **r** text field, type 18.2[mm].
- 6 In the **z** text field, type -64[mm].


7 Click to expand the **Layers** section. In the table, enter the following settings:

Layer name	Thickness (m)
Layer 1	1.26 [mm]
Layer 2	3.84 [mm]
Layer 3	0.4 [mm]

8 Clear the **Layers on bottom** check box.

9 Select the **Layers on top** check box.

Rectangle 7 (r7)

1 In the **Geometry** toolbar, click  **Rectangle**.

2 In the **Settings** window for **Rectangle**, locate the **Size and Shape** section.


3 In the **Width** text field, type 0.6 [mm].

4 In the **Height** text field, type 9.4 [mm].

5 Locate the **Position** section. In the **r** text field, type 18.2 [mm].

6 In the **z** text field, type -60.7 [mm].

Rectangle 8 (r8)

1 In the **Geometry** toolbar, click  **Rectangle**.

2 In the **Settings** window for **Rectangle**, locate the **Size and Shape** section.


3 In the **Width** text field, type 4.6 [mm].

4 In the **Height** text field, type 0.4 [mm].

5 Locate the **Position** section. In the **r** text field, type 18.4 [mm].

6 In the **z** text field, type -44.5 [mm].

Rectangle 9 (r9)

1 In the **Geometry** toolbar, click  **Rectangle**.

2 In the **Settings** window for **Rectangle**, locate the **Size and Shape** section.


3 In the **Width** text field, type 7 [mm].

4 In the **Height** text field, type 0.4 [mm].

5 Locate the **Position** section. In the **r** text field, type 59 [mm].

6 In the **z** text field, type -44.5 [mm].

Polygon 2 (pol2)

1 In the **Geometry** toolbar, click  **Polygon**.

2 In the **Settings** window for **Polygon**, locate the **Coordinates** section.

3 From the **Data source** list, choose **Vectors**.

4 In the **r** text field, type 23[mm] 26[mm] 26[mm] 32[mm] 32[mm] 38[mm] 38[mm] 44[mm] 44[mm] 50[mm] 50[mm] 56[mm] 56[mm] 59[mm] 59[mm] 59[mm] 59[mm] 56[mm] 56[mm] 50[mm] 50[mm] 44[mm] 44[mm] 38[mm] 38[mm] 32[mm] 32[mm] 26[mm] 26[mm] 23[mm] 23[mm] 23[mm].

5 In the **z** text field, type -44.1[mm] -42.1[mm] -42.1[mm] -46.1[mm] -46.1[mm] -42.1[mm] -42.1[mm] -46.1[mm] -46.1[mm] -42.1[mm] -42.1[mm] -46.1[mm] -46.1[mm] -44.1[mm] -44.1[mm] -44.1[mm] -44.5[mm] -44.5[mm] -46.5[mm] -46.5[mm] -42.5[mm] -42.5[mm] -46.5[mm] -46.5[mm] -42.5[mm] -42.5[mm] -46.5[mm] -46.5[mm] -42.5[mm] -42.5[mm] -44.5[mm] -44.5[mm] -44.1.

Union 1 (uni1)

1 In the **Geometry** toolbar, click  **Booleans and Partitions** and choose **Union**.


2 Select the objects **pol2**, **r8**, and **r9** only.

3 In the **Settings** window for **Union**, locate the **Selections of Resulting Entities** section.

4 Select the **Resulting objects selection** check box.

5 Locate the **Union** section. Clear the **Keep interior boundaries** check box.

Polygon 3 (pol3)

1 In the **Geometry** toolbar, click  **Polygon**.

2 In the **Settings** window for **Polygon**, locate the **Coordinates** section.

3 From the **Data source** list, choose **Vectors**.

4 In the **r** text field, type 18.4[mm] 66[mm] 66[mm] 67.5[mm] 67.5[mm] 18.4[mm] 18.4[mm] 18.4[mm].

5 In the **z** text field, type -39[mm] 0 0 0 0 -40.26[mm] -40.26[mm] -39[mm].

Quadratic Bézier 1 (qb1)

1 In the **Geometry** toolbar, click  **More Primitives** and choose **Quadratic Bézier**.

2 In the **Settings** window for **Quadratic Bézier**, locate the **Control Points** section.

3 In row **1**, set **r** to -18.2[mm].

4 In row **3**, set **r** to 18.2[mm].


5 In row **1**, set **z** to -39[mm].

6 In row **2**, set **z** to -23.5[mm].


7 In row **3**, set **z** to -39[mm].

8 Locate the **Weights** section. In the **2** text field, type 1.


Line Segment 1 (ls1)

- 1 In the **Geometry** toolbar, click  **More Primitives** and choose **Line Segment**.
- 2 In the **Settings** window for **Line Segment**, locate the **Starting Point** section.
- 3 From the **Specify** list, choose **Coordinates**.
- 4 Locate the **Endpoint** section. From the **Specify** list, choose **Coordinates**.
- 5 Locate the **Starting Point** section. In the **r** text field, type 18.2[mm].
- 6 Locate the **Endpoint** section. In the **r** text field, type 18.2[mm].
- 7 Locate the **Starting Point** section. In the **z** text field, type -39[mm].
- 8 Locate the **Endpoint** section. In the **z** text field, type -40.26[mm].


Quadratic Bézier 2 (qb2)

- 1 In the **Geometry** toolbar, click  **More Primitives** and choose **Quadratic Bézier**.
- 2 In the **Settings** window for **Quadratic Bézier**, locate the **Control Points** section.
- 3 In row **1**, set **r** to 18.2[mm].
- 4 In row **3**, set **r** to -18.2[mm].
- 5 In row **1**, set **z** to -40.26[mm].
- 6 In row **2**, set **z** to -24.26[mm].
- 7 In row **3**, set **z** to -40.26[mm].
- 8 Locate the **Weights** section. In the **2** text field, type 1.


Line Segment 2 (ls2)

- 1 In the **Geometry** toolbar, click  **More Primitives** and choose **Line Segment**.
- 2 In the **Settings** window for **Line Segment**, locate the **Starting Point** section.
- 3 From the **Specify** list, choose **Coordinates**.
- 4 Locate the **Endpoint** section. From the **Specify** list, choose **Coordinates**.
- 5 Locate the **Starting Point** section. In the **r** text field, type -18.2[mm].
- 6 Locate the **Endpoint** section. In the **r** text field, type -18.2[mm].
- 7 Locate the **Starting Point** section. In the **z** text field, type -40.26[mm].
- 8 Locate the **Endpoint** section. In the **z** text field, type -39[mm].


Convert to Solid 1 (csol1)

- 1 In the **Geometry** toolbar, click  **Conversions** and choose **Convert to Solid**.
- 2 Select the objects **ls1**, **ls2**, **qb1**, and **qb2** only.

Line Segment 3 (ls3)

- 1 In the **Geometry** toolbar, click  **More Primitives** and choose **Line Segment**.
- 2 In the **Settings** window for **Line Segment**, locate the **Starting Point** section.
- 3 From the **Specify** list, choose **Coordinates**.
- 4 In the **z** text field, type -52[mm].
- 5 Locate the **Endpoint** section. From the **Specify** list, choose **Coordinates**.
- 6 In the **r** text field, type $\sqrt{((115[\text{mm}])^2 - (52[\text{mm}])^2)}$.
- 7 In the **z** text field, type -52[mm].
- 8 Locate the **Selections of Resulting Entities** section. Select the **Resulting objects selection** check box.


Union 2 (uni2)

- 1 In the **Geometry** toolbar, click  **Booleans and Partitions** and choose **Union**.
- 2 Click in the **Graphics** window and then press Ctrl+A to select all objects.

Delete Entities 2 (del2)

- 1 Right-click **Geometry I** and choose **Delete Entities**.
- 2 On the object **uni2**, select Boundaries 13, 19, 33, and 45 only.



Fillet 1 (fil1)

- 1 In the **Geometry** toolbar, click  **Fillet**.
- 2 On the object **del2**, select Points 14, 15, 35, and 36 only.
- 3 In the **Settings** window for **Fillet**, locate the **Radius** section.
- 4 In the **Radius** text field, type 0.2[mm].

Form Union (fin)

- 1 In the **Model Builder** window, click **Form Union (fin)**.
- 2 In the **Settings** window for **Form Union/Assembly**, locate the **Form Union/Assembly** section.
- 3 From the **Repair tolerance** list, choose **Relative**.

Ignore Vertices 1 (igv1)

- 1 In the **Geometry** toolbar, click  **Virtual Operations** and choose **Ignore Vertices**.
- 2 On the object **fin**, select Points 18, 26, and 33 only.
- 3 In the **Geometry** toolbar, click  **Build All**.