

Hubble Space Telescope

Introduction

The Hubble Space Telescope (HST) is an example of a Cassegrain telescope. This tutorial demonstrates how to use the *Conic Mirror On Axis 3D* part from the Part Libraries to construct the HST Ritchey-Chrétien geometry, and how to include multiple ray release features so that rays at several field angles can be traced simultaneously. An overview of the HST is shown in Figure 1.



Figure 1: Overview of the Hubble Space Telescope.

Model Definition

Details of the Hubble Space Telescope can be found in Ref. 1 and Ref. 2. This is the nominal pre-launch design. In this tutorial the as-built details (see, for example, Ref. 3 and Ref. 4) are not considered, but additional information from these references was used to create the model. A summary of the HST parameters used in this tutorial is given in Table 1.

In this simulation the telescope geometry is constructed using two instances of the *Conic Mirror On Axis 3D* from the Part Libraries. The image surface is defined using a **Parametric Surface** primitive with the appropriate Petzval curvature. A secondary obstruction has been created using an instance of the *Circular Planar Annulus 3D* which can also be found in the Part Libraries. The resulting geometry sequence is shown in Figure 2.

Name	Value	Details
$\lambda_{\rm vac}$	550 nm	Vacuum wavelength
$\theta_{x,i}$	0', 5', 10'	Nominal x field angle, field $i = 1,2,3$
$\theta_{y,i}$	0', 0', 0'	Nominal y field angle, field $i = 1,2,3$
$N_{\rm ring}$	10	Number of hexapolar rings
P _{nom}	$2400.0 \; \mathrm{mm}$	Entrance pupil diameter
Primary mi	rror:	
$R_{\rm prim}$	-11040.0 mm	Primary mirror radius of curvature
$k_{\rm prim}$	-1.0022985	Primary mirror conic constant
$d_{0,\mathrm{prim}}$	2450.0 mm	Primary mirror full diameter (nominal)
$d_{ m h, prim}$	600.0 mm	Primary mirror central hole diameter
$T_{\rm c,prim}$	125.0 mm	Primary mirror center thickness (nominal)
Secondary	mirror:	
$R_{ m sec}$	1358.000 mm	Secondary mirror radius of curvature
$k_{ m sec}$	-1.49600	Secondary mirror conic constant
$d_{ m sec}$	395.0 mm	Secondary mirror diameter
$T_{\rm c,sec}$	75.0 mm	Secondary mirror center thickness (nominal)
Positions:		
$Z_{ m prim}$	0 mm	Primary mirror position
$Z_{ m sec}$	-4906.071 mm	Secondary mirror position
$Z_{ m bfl}$	1500.0 mm	Image surface back focal length (relative to primary vertex)
Z_{image}	$Z_{ m sec}$ – $Z_{ m bfl}$	Image surface position (relative to secondary surface)
Misc:		
$\epsilon_{\rm obs}$	0.33	Obstruction fraction
C_{p}	$2\left(\frac{1}{R_{\rm sec}}-\frac{1}{R_{\rm prim}}\right)$	Image surface Petzval curvature

TABLE I: HUBBLE SPACE TELESCOPE PARAMETERS.



Figure 2: The Hubble Space Telescope geometry sequence.



Figure 3: The Hubble Space Telescope mesh.

4 | HUBBLE SPACE TELESCOPE

Results and Discussion

A ray trace has been performed at a single wavelength (550 nm) at three field angles (0, 5 and 10 arcminutes). Figure 4 shows the resulting ray trajectories; the **Color Expression** represents the ray positions on the image surface.

In Figure 5 the intersection of the rays with the image surface is shown. This spot diagram shows each of the three field angles, where the **Color Expression** is the initial radial location at the entrance pupil.



Figure 4: Ray diagram of the HST colored by radial distance from the centroid.



Figure 5: Spot diagram of the HST colored by radial distance from the center of the entrance pupil. The absolute coordinate of each spot is shown. The ring in the lower-left corner is the nominal Airy ring.

References

1. C. Burrows, *Hubble Space Telescope: Optical telescope assembly handbook.* Space Telescope Science Inst., Baltimore, MD, 1990.

2. D. Schroeder, *Astronomical Optics*. Second Edition. San Diego, CA, USA: Academic Press, 2000.

3. D. Moore and others, *Final Report Hubble Independent Optical Review Panel*. Goddard Space Flight Center, Greenbelt, MD, 1991.

4. L. Allen and others, *The Hubble Space Telescope Optical Systems Failure Report*. NASA, 1990.

Application Library path: Ray_Optics_Module/Lenses_Cameras_and_Telescopes/ hubble_space_telescope

Modeling Instructions

From the File menu, choose New.

NEW

In the New window, click 🔗 Model Wizard.

MODEL WIZARD

- I In the Model Wizard window, click 间 3D.
- 2 In the Select Physics tree, select Optics>Ray Optics>Geometrical Optics (gop).
- 3 Click Add.
- 4 Click \bigcirc Study.

5 In the Select Study tree, select Preset Studies for Selected Physics Interfaces>Ray Tracing.

6 Click **M** Done.

GLOBAL DEFINITIONS

Parameters 1

- I In the Model Builder window, under Global Definitions click Parameters I.
- 2 In the Settings window for Parameters, locate the Parameters section.
- **3** Click **b** Load from File.
- **4** Browse to the model's Application Libraries folder and double-click the file hubble_space_telescope_parameters.txt.

PART LIBRARIES

- I In the Home toolbar, click 📑 Windows and choose Part Libraries.
- 2 In the Model Builder window, under Component I (compl) click Geometry I.
- 3 In the Part Libraries window, select Ray Optics Module>3D>Mirrors> conic_mirror_on_axis_3d in the tree.
- **4** Click **Add to Geometry**.
- 5 In the Select Part Variant dialog box, select Specify clear aperture diameter in the Select part variant list.
- 6 Click OK.

GEOMETRY I

Primary Mirror

- I In the Model Builder window, under Component I (compl)>Geometry I click Conic Mirror On Axis 3D I (pil).
- 2 In the Settings window for Part Instance, type Primary Mirror in the Label text field.
- 3 Locate the Input Parameters section. In the table, enter the following settings:

Name	Expression	Value	Description
R	R_prim	-11.04 m	Radius of curvature (+convex/- concave)
k	k_prim	-1.0023	Conic constant
Тс	Tc_prim	0.125 m	Center thickness
0b	d0_prim	2.45 m	Mirror full diameter
d١	0	0 m	Mirror surface diameter
d_clear	0	0 m	Clear aperture diameter
d_hole	dh_prim	0.6 m	Center hole diameter
nix	nix	0	Local optical axis, x-component
niy	niy	0	Local optical axis, y-component
niz	niz	-1	Local optical axis, z-component
n_extra_a	np_extra	10	Number of extra azimuthal points

- 4 Locate the Position and Orientation of Output section. Find the Displacement subsection. In the zw text field, type Z_prim.
- 5 Click 틤 Build Selected.
- 6 Click to expand the **Boundary Selections** section. In the table, select the **Keep** check box for **Mirror surface**.
- 7 Click to select row number 3 in the table.
- 8 Click New Cumulative Selection.
- 9 In the New Cumulative Selection dialog box, type Obstructions in the Name text field.10 Click OK.
- II In the Settings window for Part Instance, locate the Boundary Selections section.

12 In the table, enter the following settings:

Name	Кеер	Physics	Contribute to
Mirror rear surface		\checkmark	Obstructions
Mirror edges		\checkmark	Obstructions

Secondary Mirror

I In the Geometry toolbar, click \bigtriangleup Parts and choose Conic Mirror On Axis 3D.

2 In the Settings window for Part Instance, type Secondary Mirror in the Label text field.

3 Locate the Input Parameters section. In the table, enter the following settings:

Name	Expression	Value	Description
R	R_sec	1.358 m	Radius of curvature (+convex/-concave)
k	k_sec	-1.496	Conic constant
Tc	Tc_sec	0.075 m	Center thickness
d0	d_sec	0.395 m	Mirror full diameter
dl	0	0 m	Mirror surface diameter
d_clear	0	0 m	Clear aperture diameter
d_hole	0	0 m	Center hole diameter

4 Locate the Position and Orientation of Output section. Find the Coordinate system to match subsection. From the Take work plane from list, choose Primary Mirror (pil).

- 5 From the Work plane list, choose Mirror vertex intersection (wpl).
- 6 Find the **Displacement** subsection. In the **zw** text field, type Z_sec.
- 7 Click 틤 Build Selected.
- 8 Locate the Boundary Selections section. In the table, enter the following settings:

Name	Кеер	Physics	Contribute to
Mirror surface	\checkmark	\checkmark	None
Mirror rear surface		\checkmark	Obstructions
Mirror edges		\checkmark	Obstructions

Image Surface

A parametric surface can be used to define the image surface.

I In the Geometry toolbar, click \bigoplus More Primitives and choose Parametric Surface.

- 2 In the Settings window for Parametric Surface, type Image Surface in the Label text field.
- **3** Locate the **Parameters** section. Find the **First parameter** subsection. In the **Minimum** text field, type -hw_image.
- 4 In the Maximum text field, type hw_image.
- 5 Find the Second parameter subsection. In the Minimum text field, type -hw_image.
- 6 In the Maximum text field, type hw_image.
- 7 Locate the Expressions section. In the x text field, type \$1.
- 8 In the y text field, type s2.
- 9 In the z text field, type Cp*(s1² + s2²)/(1 + sqrt(1 Cp²*(s1² + s2²)))*
 1[m]. This is the equation of a sphere having a curvature Cp. This is the Petzval curvature defined in the Parameters node.
- **IO** Locate the **Position** section. In the **z** text field, type **Z_image**.
- II Locate the Coordinate System section. From the Take work plane from list, choose Secondary Mirror (pi2).
- 12 From the Work plane list, choose Mirror vertex intersection (wpl).
- **I3** Locate the **Selections of Resulting Entities** section. Select the **Resulting objects selection** check box.

PART LIBRARIES

The secondary mirror mount creates an obstruction.

- I In the Geometry toolbar, click A Parts and choose Part Libraries.
- 2 In the Model Builder window, click Geometry I.
- 3 In the Part Libraries window, select Ray Optics Module>3D>Apertures and Obstructions> circular_planar_annulus in the tree.
- 4 Click 🔚 Add to Geometry.

GEOMETRY I

Secondary Obstruction

- I In the Model Builder window, under Component I (compl)>Geometry I click Circular Planar Annulus I (pi3).
- 2 In the Settings window for Part Instance, type Secondary Obstruction in the Label text field.

3 Locate the Input Parameters section. In the table, enter the following settings:

Name	Expression	Value	Description
d0	d0_obs	0.792 m	Diameter, outer
dl	0	0 m	Diameter, inner

- 4 Locate the Position and Orientation of Output section. Find the Coordinate system to match subsection. From the Take work plane from list, choose Secondary Mirror (pi2).
- 5 From the Work plane list, choose Mirror vertex intersection (wpl).
- 6 Find the **Displacement** subsection. In the **zw** text field, type Z_obs.
- 7 Locate the Boundary Selections section. In the table, enter the following settings:

Name	Кеер	Physics	Contribute to
All			Obstructions

8 Click 틤 Build Selected.

- 9 Click the **v** Go to Default View button in the Graphics toolbar.
- **10** Click the **1** Orthographic Projection button in the Graphics toolbar.
- II Click the 4 Zoom Extents button in the Graphics toolbar. Compare the resulting geometry to Figure 2.

GEOMETRICAL OPTICS (GOP)

- I In the Model Builder window, under Component I (compl) click Geometrical Optics (gop).
- 2 In the Settings window for Geometrical Optics, locate the Domain Selection section.
- 3 Click 📉 Clear Selection.
- 4 Locate the Ray Release and Propagation section. In the Maximum number of secondary rays text field, type 0.

Primary

- I In the Physics toolbar, click 🔚 Boundaries and choose Mirror.
- 2 In the Settings window for Mirror, type Primary in the Label text field.
- 3 Locate the Boundary Selection section. From the Selection list, choose Mirror surface (Primary Mirror).

Secondary

I In the Physics toolbar, click 🔚 Boundaries and choose Mirror.

- 2 In the Settings window for Mirror, type Secondary in the Label text field.
- **3** Locate the **Boundary Selection** section. From the **Selection** list, choose **Mirror surface (Secondary Mirror)**.

Obstructions

- I In the Physics toolbar, click 🔚 Boundaries and choose Wall.
- 2 In the Settings window for Wall, type Obstructions in the Label text field.
- **3** Locate the **Boundary Selection** section. From the **Selection** list, choose **Obstructions**.
- 4 Locate the Wall Condition section. From the Wall condition list, choose Disappear.

Image

- I In the Physics toolbar, click 🔚 Boundaries and choose Wall.
- 2 In the Settings window for Wall, type Image in the Label text field.
- 3 Locate the Boundary Selection section. From the Selection list, choose Image Surface.

Release from Grid 1

Next, create three release features for each of the field angles defined in the Parameters node.

- I In the Physics toolbar, click 🖗 Global and choose Release from Grid.
- 2 In the Settings window for Release from Grid, locate the Initial Coordinates section.
- **3** From the **Grid type** list, choose **Hexapolar**.
- **4** Specify the \mathbf{q}_{c} vector as

-dx1	x
-dy1	у
dz	z

5 Specify the $\mathbf{r}_{\mathbf{c}}$ vector as

0	x
0	у
1	z

- 6 In the R_c text field, type P_nom/2.
- 7 In the $N_{\rm c}$ text field, type N_ring.

8 Locate the **Ray Direction Vector** section. Specify the L_0 vector as

vx1	x
vy1	у

-vz z

Release from Grid 2

- I Right-click Release from Grid I and choose Duplicate.
- 2 In the Settings window for Release from Grid, locate the Initial Coordinates section.
- **3** Specify the $\mathbf{q}_{\mathbf{c}}$ vector as

-dx2	x
-dy2	у

 ${\bf 4}\,$ Locate the ${\bf Ray}\,$ Direction Vector section. Specify the ${\bf L}_0$ vector as

vx2	x
vy2	у

Release from Grid 3

I Right-click Release from Grid 2 and choose Duplicate.

2 In the Settings window for Release from Grid, locate the Initial Coordinates section.

3 Specify the \mathbf{q}_{c} vector as

-dx3	x
-dy3	у

4 Locate the Ray Direction Vector section. Specify the L_0 vector as

	vx3	x
vy3 y	vy3	у

MESH I

Adjust the default mesh to improve the geometry discretization.

- I In the Model Builder window, under Component I (compl) click Mesh I.
- 2 In the Settings window for Mesh, locate the Physics-Controlled Mesh section.
- **3** From the **Element size** list, choose **Extremely fine**.
- **4** Click **Build All**. The mesh should looks like Figure 3.

STUDY I

Step 1: Ray Tracing

- I In the Model Builder window, under Study I click Step I: Ray Tracing.
- 2 In the Settings window for Ray Tracing, locate the Study Settings section.
- **3** From the Time-step specification list, choose Specify maximum path length.
- **4** In the **Lengths** text field, type **0** 17. This path length is sufficient to ensure that all rays reach the image plane.
- **5** In the **Home** toolbar, click **= Compute**.

Now, create a ray diagram.

RESULTS

Ray Diagram

- I In the Settings window for 3D Plot Group, type Ray Diagram in the Label text field.
- 2 Click to expand the Title section. From the Title type list, choose None.
- **3** Locate the **Color Legend** section. Select the **Show maximum and minimum values** check box.
- 4 Select the Show units check box.
- 5 In the Model Builder window, expand the Ray Diagram node.

Color Expression 1

- I In the Model Builder window, expand the Results>Ray Diagram>Ray Trajectories I node, then click Color Expression I.
- 2 In the Settings window for Color Expression, locate the Expression section.
- 3 In the Expression text field, type at ('last', gop.rrel). This is the radial coordinate relative to the centroid at the image plane for each release feature.
- 4 From the Unit list, choose µm.

Surface 1

- I In the Model Builder window, right-click Ray Diagram and choose Surface.
- 2 In the Settings window for Surface, locate the Coloring and Style section.
- 3 From the Coloring list, choose Uniform.
- 4 From the Color list, choose Gray.

Selection 1

I Right-click Surface I and choose Selection.

- 2 In the Settings window for Selection, locate the Selection section.
- **3** From the Selection list, choose Obstructions.

Surface 2

- I In the Model Builder window, right-click Ray Diagram and choose Surface.
- 2 In the Settings window for Surface, locate the Coloring and Style section.
- 3 From the Coloring list, choose Uniform.
- 4 From the Color list, choose Custom.
- 5 On Windows, click the colored bar underneath, or if you are running the crossplatform desktop — the **Color** button.
- 6 Click Define custom colors.
- 7 Set the RGB values to 189, 201, and 216, respectively.
- 8 Click Add to custom colors.
- 9 Click Show color palette only or OK on the cross-platform desktop.

Selection I

- I Right-click Surface 2 and choose Selection.
- 2 Select Boundaries 4 and 11 only.
- **3** In the **Ray Diagram** toolbar, click **I** Plot.
- 4 Click the 4 Zoom Extents button in the Graphics toolbar. Compare the resulting image to Figure 4.

Spot Diagram

Next, create a spot diagram.

- I In the Home toolbar, click 🚛 Add Plot Group and choose 2D Plot Group.
- 2 In the Settings window for 2D Plot Group, type Spot Diagram in the Label text field.
- 3 Locate the Color Legend section. Select the Show units check box.

Spot Diagram 1

- I In the Spot Diagram toolbar, click More Plots and choose Spot Diagram.
- 2 In the Settings window for Spot Diagram, locate the Layout section.
- 3 From the Layout list, choose Rectangular grid.
- 4 In the Horizontal padding factor text field, type 0.
- 5 Click to expand the Annotations section. Select the Show circle check box.
- 6 In the **Radius** text field, type r_Airy.

Color Expression 1

- I Right-click Spot Diagram I and choose Color Expression.
- 2 In the Settings window for Color Expression, locate the Expression section.
- 3 In the **Expression** text field, type at (0, gop.rrel). This is the radial coordinate relative to the centroid at the entrance pupil for each ray release.
- **4** In the **Spot Diagram** toolbar, click **I** Plot.
- 5 Click the Zoom Extents button in the Graphics toolbar. Compare the resulting image to Figure 5.