

Optical Ring Resonator Notch Filter

This example is a 2D version of Optical Ring Resonator Notch Filter 3D. For a general introduction on how to model an optical ring resonator device, see the latter model.

This model solves in a 2D geometry with out-of-plane polarization. So, essentially a scalar wave equation is solved. Thereby, this model solves quickly and can be used to investigate different types of optical ring resonator designs, before more time- and memoryconsuming 3D simulations are performed.

Model Definition

This application is set up using the Electromagnetic Waves, Beam Envelopes interface, to handle the propagation over distances that are many wavelengths long. Since the wave propagates in essentially one direction along the straight waveguide and along the waveguide ring, the unidirectional formulation is used. This assumes that the electric field for the wave can be written as

$$\mathbf{E} = \mathbf{E}_1 \exp(-j\phi), \tag{1}$$

where \mathbf{E}_1 is a slowly varying field envelope function and ϕ is an approximation of the propagation phase for the wave. The definitions used for the phase in the straight and ring waveguide are shown in Table 1, Table 2, and Table 3.

TABLE I: PHASE DEFINITION IN STRAIGHT WAVEGUIDE DOMAINS.

NAME	EXPRESSION	UNIT	DESCRIPTION
phi	ewbe.beta_1*y	rad	Phase

TABLE 2: PHASE DEFINITION IN RING WAVEGUIDE - LEFT DOMAIN.

NAME	EXPRESSION	UNIT	DESCRIPTION
phi	ewbe.beta_1*r0*atan2(y,-(x-r0-dx))	rad	Phase

TABLE 3: PHASE DEFINITION IN RING WAVEGUIDE - RIGHT DOMAIN.

NAME	EXPRESSION	UNIT	DESCRIPTION
phi	ewbe.beta_1*r0*atan2(-y,(x-r0-dx))	rad	Phase

The parameters r0 and dx correspond, respectively, to the curvature radius of the ring waveguide and to the separation between the straight and ring waveguide cores. The phase approximation defined in the tables above is discontinuous at the boundary between the straight waveguide and the ring waveguide as well as at the boundary between the left and the right ring waveguide domains. To handle this phase discontinuity and thereby the discontinuity in the field envelope, \mathbf{E}_1 , a Field Continuity boundary condition is used at

the aforementioned boundaries. The Field Continuity boundary condition ensures that the tangential components of the electric and the magnetic fields are continuous at the boundary, despite the phase jump.




Figure 1: Plot of the predefined phase approximation. Notice the phase jump at the boundary between the left and right part of the ring waveguide. The discontinuity at the boundary between the straight and the ring waveguide is not visible at this scale.




Figure 2 below shows the transmittance spectrum for the optical ring resonator.

Figure 2: Transmittance spectrum for the optical ring resonator.

and Figure 3 shows a field plot for a resonant wavelength. Notice that the field in the straight waveguide and the field incoming from the ring are out of phase when they

interfere in the coupler. Thereby the outgoing field in the straight waveguide is almost zero.




Figure 3: The out-of-plane component of the electric field for the resonant wavelength.

Notes About the COMSOL Implementation

This model geometry is easily set up by importing a geometry part from the COMSOL Part Libraries. The slab waveguide coupling between a straight and a ring waveguide section, with core embedded in a cladding domain, is available in the Wave Optics Module under Slab Waveguides.

Predefined geometry parts can be quickly modified by changing the default input parameters. Moreover, geometry parts provide targeted selections of domains and boundaries that greatly simplify the model building. As demonstrated in this model, these built-in selections are useful when adding materials, physics features and mesh sequences.

Application Library path: Wave_Optics_Module/Waveguides_and_Couplers/ optical_ring_resonator

First add the physics interface and the study sequence.

From the File menu, choose New.

NEW

In the New window, click Model Wizard.

MODEL WIZARD

- I In the Model Wizard window, click **2** 2D.
- 2 In the Select Physics tree, select Optics>Wave Optics>Electromagnetic Waves, Beam Envelopes (ewbe).
- 3 Click Add.
- 4 Click 🔁 Study.
- 5 In the Select Study tree, select Preset Studies for Selected Physics Interfaces> **Boundary Mode Analysis.**
- 6 Click M Done.

The geometry for the optical ring resonator is straightforward to set up. Load the Slab Waveguide Straight-to-Ring Coupler geometry part from the COMSOL Part Libraries and then modify the input parameters in order to build the desired geometry.

PART LIBRARIES

- I In the Home toolbar, click Windows and choose Part Libraries.
- 2 In the Part Libraries window, select Wave Optics Module>Slab Waveguides> slab_waveguide_straight_to_ring_coupler in the tree.
- 3 Click Add to Geometry.

GEOMETRY I

Slab Waveguide Straight-to-Ring Coupler I (bil)

- I In the Model Builder window, under Component I (compl)>Geometry I click Slab Waveguide Straight-to-Ring Coupler I (pil).
- 2 In the Settings window for Part Instance, click **Build All Objects**.

GLOBAL DEFINITIONS

Start by loading a few more parameters required for building the physics and defining the materials.

Parameters 1

- I In the Model Builder window, under Global Definitions click Parameters I.
- 2 In the Settings window for Parameters, locate the Parameters section.
- 3 Click Load from File.
- 4 Browse to the model's Application Libraries folder and double-click the file optical_ring_resonator_parameters.txt.

GEOMETRY I

Slab Waveguide Straight-to-Ring Coupler I (pil)

- I In the Model Builder window, under Component I (compl)>Geometry I click Slab Waveguide Straight-to-Ring Coupler I (pil).
- 2 In the Settings window for Part Instance, locate the Input Parameters section.
- **3** In the table, enter the following settings:

Name	Expression	Value	Description
core_width	w_core	2E-7 m	Core width
cladding_width	w_clad	2E-6 m	Cladding width
element_length	2*r0+w_clad	1.44E-5 m	Element length
coupler_core_separati	dx	7.1666E-7 m	Core separation in coupler region
ring_radius	r0	6.2E-6 m	Ring radius

and leave the rest of the input parameters unchanged.

- 4 Locate the Position and Orientation of Output section. In the y-displacement text field, type -r0-w_clad/2.
- 5 Click **Build All Objects**.
- **6** Click the **Zoom Extents** button in the **Graphics** toolbar.

Choose to keep those domain and boundary selections that will be useful later when adding materials, boundary conditions and the mesh sequence.

7 Click to expand the **Domain Selections** section. In the table, enter the following settings:

Name	Кеер	Physics	Contribute to
All		$\sqrt{}$	None
Core	$\sqrt{}$	$\sqrt{}$	None
Cladding	$\sqrt{}$	$\sqrt{}$	None

Name	Кеер	Physics	Contribute to
Ring domain I		$\sqrt{}$	None
Ring domain 2	$\sqrt{}$	\checkmark	None
Straight domain	\checkmark	√	None

8 Click to expand the Boundary Selections section. In the table, enter the following settings:

Name	Кеер	Physics	Contribute to
Exterior		√	None
Port I	\checkmark	V	None
Port I core		V	None
Port I cladding		V	None
Port 2	\checkmark	√	None
Port 2 core		√	None
Port 2 cladding		√	None
Transverse perimeter	\checkmark	V	None
Edge mesh	\checkmark	√	None
Field continuity	V	V	None


DEFINITIONS

Now add the definitions for the phase in the waveguide domains.

Phase, straight waveguide

- I In the Model Builder window, under Component I (compl) right-click Definitions and choose Variables.
- 2 In the Settings window for Variables, type Phase, straight waveguide in the Label text field.
- 3 Locate the Geometric Entity Selection section. From the Geometric entity level list, choose Domain.

4 From the Selection list, choose Straight domain (Slab Waveguide Straight-to-Ring Coupler 1).




5 Locate the **Variables** section. In the table, enter the following settings:

Name	Expression	Unit	Description
phi	ewbe.beta_1*y		

Phase, ring waveguide I

- I In the Model Builder window, right-click Definitions and choose Variables.
- 2 In the Settings window for Variables, type Phase, ring waveguide 1 in the Label text field.
- 3 Locate the Geometric Entity Selection section. From the Geometric entity level list, choose Domain.

4 From the Selection list, choose Ring domain I (Slab Waveguide Straight-to-Ring Coupler 1).




5 Locate the **Variables** section. In the table, enter the following settings:

Name	Expression	Unit	Description
phi	ewbe.beta_1*r0*atan2(y,-(x-r0-dx))		

Phase, ring waveguide 2

- I Right-click **Definitions** and choose **Variables**.
- 2 In the Settings window for Variables, type Phase, ring waveguide 2 in the Label text field.
- 3 Locate the Geometric Entity Selection section. From the Geometric entity level list, choose Domain.

4 From the Selection list, choose Ring domain 2 (Slab Waveguide Straight-to-Ring Coupler 1).



5 Locate the **Variables** section. In the table, enter the following settings:


Name	Expression	Unit	Description
phi	ewbe.beta_1*r0*atan2(-y,(x-r0-dx))		

MATERIALS

Cladding

- I In the Model Builder window, under Component I (compl) right-click Materials and choose Blank Material.
- 2 In the Settings window for Material, type Cladding in the Label text field.

3 Locate the Geometric Entity Selection section. From the Selection list, choose Cladding (Slab Waveguide Straight-to-Ring Coupler 1).




4 Locate the **Material Contents** section. In the table, enter the following settings:

Property	Variable	Value	Unit	Property group
Refractive index,	n_iso ; nii = n_iso,	n_clad	1	Refractive index
real part	nij = 0			

Core

- I Right-click Materials and choose Blank Material.
- 2 In the Settings window for Material, type Core in the Label text field.

3 Locate the Geometric Entity Selection section. From the Selection list, choose Core (Slab Waveguide Straight-to-Ring Coupler I).



4 Locate the **Material Contents** section. In the table, enter the following settings:


Property	Variable	Value	Unit	Property group
Refractive index,	n_iso ; nii = n_iso,	n_core	1	Refractive index
real part	nij = 0			

ELECTROMAGNETIC WAVES, BEAM ENVELOPES (EWBE)

- I In the Model Builder window, under Component I (compl) click Electromagnetic Waves, Beam Envelopes (ewbe).
- 2 In the Settings window for Electromagnetic Waves, Beam Envelopes, locate the **Components** section.
- 3 From the Electric field components solved for list, choose Out-of-plane vector.
- 4 Locate the Wave Vectors section. From the Number of directions list, choose Unidirectional.
- 5 From the Type of phase specification list, choose User defined.
- **6** In the ϕ_1 text field, type phi.

Port I

- I In the **Physics** toolbar, click **Boundaries** and choose **Port**.
- 2 In the Settings window for Port, locate the Boundary Selection section.
- 3 From the Selection list, choose Port I (Slab Waveguide Straight-to-Ring Coupler I).




4 Locate the Port Properties section. From the Type of port list, choose Numeric. For the first port, wave excitation is **on** by default.

Port 2

- I Right-click Port I and choose Duplicate.
- 2 In the Settings window for Port, locate the Boundary Selection section.
- 3 From the Selection list, choose Port 2 (Slab Waveguide Straight-to-Ring Coupler 1).


4 Locate the Port Properties section. From the Wave excitation at this port list, choose Off.



Scattering Boundary Condition I

- I In the Physics toolbar, click Boundaries and choose Scattering Boundary Condition.
- 2 In the Settings window for Scattering Boundary Condition, locate the Boundary Selection section.

3 From the Selection list, choose Transverse perimeter (Slab Waveguide Straight-to-Ring Coupler 1).




- 4 Click the Show More Options button in the Model Builder toolbar.
- 5 In the Show More Options dialog box, in the tree, select the check box for the node Physics>Advanced Physics Options.
- 6 Click OK.

Field Continuity I

- I In the Physics toolbar, click Boundaries and choose Field Continuity.
- 2 In the Settings window for Field Continuity, locate the Boundary Selection section.

3 From the Selection list, choose Field continuity (Slab Waveguide Straight-to-Ring Coupler 1).



MESH I

For this model a edge mesh and a mapped mesh will be used.

Edge I

- I In the Mesh toolbar, click A Edge.
- 2 In the Settings window for Edge, locate the Boundary Selection section.
- 3 From the Selection list, choose Edge mesh (Slab Waveguide Straight-to-Ring Coupler 1).

Distribution I

- I Right-click **Edge I** and choose **Distribution**.
- 2 In the Settings window for Distribution, locate the Distribution section.
- 3 In the Number of elements text field, type 3.


Mapped I

In the Mesh toolbar, click Mapped.

Size

I In the Model Builder window, click Size.

- 2 In the Settings window for Size, locate the Element Size section.
- **3** Click the **Custom** button.
- 4 Locate the Element Size Parameters section. In the Maximum element size text field, type w10/2.
- 5 Click **Build All**.



STUDY I

Step 1: Boundary Mode Analysis

- I In the Model Builder window, under Study I click Step I: Boundary Mode Analysis.
- 2 In the Settings window for Boundary Mode Analysis, locate the Study Settings section.
- 3 In the Mode analysis frequency text field, type f0.
- 4 Select the Search for modes around check box. In the associated text field, type n core.

Step 3: Boundary Mode Analysis I

- I Right-click Study I>Step I: Boundary Mode Analysis and choose Duplicate.
- 2 In the Settings window for Boundary Mode Analysis, locate the Study Settings section.
- 3 In the Port name text field, type 2.

Step 2: Frequency Domain

- I In the Model Builder window, click Step 2: Frequency Domain.
- 2 In the Settings window for Frequency Domain, locate the Study Settings section.
- 3 In the Frequencies text field, type f0.
- 4 Right-click Study I>Step 2: Frequency Domain and choose Move Down.

Parametric Sweep

- I In the Study toolbar, click Parametric Sweep.
- 2 In the Settings window for Parametric Sweep, locate the Study Settings section.
- 3 Click + Add.
- 4 From the list in the Parameter name column, choose Ida0 (Wavelength).
- 5 Click Range.
- 6 In the Range dialog box, choose Number of values from the Entry method list.
- 7 In the **Start** text field, type 1.559[um].
- 8 In the **Stop** text field, type 1.561[um].
- 9 In the Number of values text field, type 25.
- 10 Click Replace.
- II In the Settings window for Parametric Sweep, locate the Study Settings section.
- 12 In the table, enter the following settings:

Parameter name	Parameter value list	Parameter unit
Ida0 (Wavelength)	range(1.559[um],(1.561[um]-(1.559[um]))/24,1.561[um])	um

In practice just replace the Parameter unit with um.

13 In the Study toolbar, click **Compute**.

RESULTS

Electric Field

- I In the Model Builder window, expand the Electric Field (ewbe) node, then click Electric Field.
- 2 In the Settings window for Surface, locate the Expression section.
- 3 In the Expression text field, type ewbe. Ez.

Height Expression 1

Right-click Electric Field and choose Height Expression.

Electric Field (ewbe)

- I In the Settings window for 2D Plot Group, locate the Data section.
- 2 From the Parameter value (Ida0 (um)) list, choose 1.5603 (1).
- 3 In the Electric Field (ewbe) toolbar, click Plot.
- 4 Click the $\uparrow xy$ Go to XY View button in the Graphics toolbar.
- 5 Click the **Zoom Extents** button in the **Graphics** toolbar. The plot should now look like Figure 3.

Reflectance, Transmittance, and Loss (ewbe)

For the optical ring resonator, where there is loss due to the propagation in the ring and not due to material absorption, it is more appropriate to use the term loss than absorptance. Thus, replace absorptance with loss in the node label, y-axis label and the legend.

- I In the Model Builder window, under Results click Reflectance, Transmittance, and Absorptance (ewbe).
- 2 In the Settings window for ID Plot Group, type Reflectance, Transmittance, and Loss (ewbe) in the Label text field.
- 3 Locate the Plot Settings section. In the y-axis label text field, type Reflectance, transmittance, and loss.
- 4 Locate the Legend section. From the Position list, choose Lower left.

Global I

- I In the Model Builder window, expand the Reflectance, Transmittance, and Loss (ewbe) node, then click Global 1.
- 2 In the Settings window for Global, locate the y-Axis Data section.
- **3** In the table, enter the following settings:

Expression	Unit	Description
ewbe.Atotal	1	Loss


In practice just replace Absorptance with Loss in the Description field. Leave unmodified the other expressions in the same table.

4 In the Reflectance, Transmittance, and Loss (ewbe) toolbar, click Plot. The plot should now look like Figure 2.

Finally inspect the mode field plot resulting from the boundary mode analysis performed for each port. Since the resulting graphs overlap each other, it is enough to plot only one of them. For example, pick the first one.

Electric Mode Field, Port I (ewbe)

- I In the Model Builder window, under Results click Electric Mode Field, Port I (ewbe).
- 2 In the Settings window for ID Plot Group, locate the Data section.
- 3 From the Parameter selection (Ida0) list, choose First.
- 4 In the Electric Mode Field, Port I (ewbe) toolbar, click **Plot**.



Electric Mode Field, Port 2 (ewbe)

- I In the Model Builder window, click Electric Mode Field, Port 2 (ewbe).
- 2 In the Settings window for ID Plot Group, locate the Data section.
- 3 From the Parameter selection (Ida0) list, choose First.

4 In the Electric Mode Field, Port 2 (ewbe) toolbar, click Plot.

